

## Product datasheet for **SC337954**

### MSH6 (NM\_001281492) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	MSH6 (NM_001281492) Human Untagged Clone
Tag:	Tag Free
Symbol:	MSH6
Synonyms:	GTBP; GTMBP; HNPCC5; HSAP; MMRC3; p160
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001281492, the custom clone sequence may differ by one or more nucleotides

```
ATGTCGCGACAGAGCACCTGTACAGCTTCTTCCCAAGTCTCCGGCGCTGAGTGATGCCAACAAAGGCCT
CGGCCAGGGCCTCACGCGAAGGCGGCCGTGCCCGCTGCCCGGGGCCTCTCCTTCCCGAGCGGGGA
TGCGGCCCTGGAGCGAGGCTGGGCCTGGGCCAGGCCCTTGGCGCGCTCCGCGTCACCGCCCAAGGCGAAG
AACCTCAACGGAGGGCTGCGGAGATCGGTAGGCACAACCTACGTAACAGATAAGAGTGAAGAAGATAATG
AAATTGAGAGTGAAGAGGAAGTACAGCCTAAGACACAAGGATCTAGCGAAGTAGCCGCAAAATAAAAAA
ACGAAGGGTCATATCAGATTCTGAGAGTGACATTGGTGGCTCTGATGTGGAATTTAAGCCAGACACTAAG
GAGGAAGGAAGCAGTGATGAAATAAGCAGTGGAGTGGGGATAGTGAGAGTGAAGCCTGAACAGCCCTG
TCAAAGTTGCTCGAAAGCGGAAGAGAATGGTGACTGGAAATGGCTCTTAAAAGAAAAGCTCTAGGAA
GGAAACGCCCTCAGCCACCAAAACAAGCAACTAGCATTTTCATCAGAAACCAAGAATACTTTGAGAGCTTTC
TCTGCCCTCAAAATCTGAATCCCAAGCCACGTTAGTGGAGGTGGTGTGACAGTAGTCGCCCTACTG
TTTGGTATCATGAACTTTAGAATGGCTTAAGGAGGAAAAGAGAAGAGATGAGCACAGGAGGAGGCCTGA
TCACCCGATTTTGATGCATCTACACTCTATGTGCTGAGGATTTCTCAATTCTGTACTCCTGGGATG
AGGAAGTGGTGGCAGATTAAGTCTCAGAACTTTGATCTTGTCATCTGTTACAAGTGGGAAATTTTATG
AGCTGTACCACATGGATGCTCTTATTGGAGTCAGTGAAGTGGGCTGGTATTGATGAAAGGCAACTGGGC
CCATTCTGGCTTTCTGAAATTTGCAATTTGGCCGTTATTCAGATTCCCTGGTGCAGAGGGCTATAAAGTA
GCACGAGTGGAAACAGACTGAGACTCCAGAAATGATGGAGGCACGATGTAGAAAGATGGCACATATATCCA
AGTATGATAGAGTGGTGGAGGAGGATCTGTAGGATCATTACCAAGGGTACACAGACTTACAGTGTGCT
GGAAGGTGATCCCTCTGAGAACTACAGTAAGTATCTTCTTAGCCTCAAAGAAAAGAGGAAGATTCTTCT
GGCCATACTCGTGCATATGGTGTGTGCTTTGTTGATACTTCACTGGGAAAGTTTTTCATAGGTGAGTTTT
CAGATGATCGCCATTGTTGAGATTTAGGACTCTAGTGGCACACTATCCCCAGTACAAGTTTTATTTGA
AAAAGGAAATCTCTCAAAGGAACTAAAACAATTCTAAAGAGTTCATTGCTCTCTTCAGGAAGGT
CTGATACCCGGCTCCCAGTTTTGGGATGCATCCAAAATTTGAGAACTCTCCTTGAGGAAGAATATTTTA
GGGAAAAGCTAAGTGATGCATTGGGGTGTGTTACCCAGGTGCTTAAAGGTATGACTTCAGAGTCTGA
```



[View online »](#)

```

TTCCATTGGGTTGACACCAGGAGAGAAAAGTGAATTGGCCCTCTCTGCTCTAGGTGGTTGTGCTTCTAC
CTCAAAAAATGCCTTATTGATCAGGAGCTTTTATCAATGGCTAATTTTGAAGAATATATCCCTTGGATT
CTGACACAGTCAGCACTACAAGATCTGGTGCTATCTTACCAAAGCCTATCAACGAATGGTGCTAGATGC
AGTGACATTAACAACCTTGGAGATTTTTCTGAATGGAACAAATGGTTCTACTGAAGGAACCTACTAGAG
AGGGTTGATACTTGCCATACTCCTTTTGGTAAGCGGCTCCTAAAGCAATGGCTTTGTGCCCACTCTGTA
ACCATTATGCTATTAATGATCGTCTAGATGCCATAGAAGACCTCATGGTTGTGCCGACAAAATCTCCGA
AGTTGTAGAGCTTCTAAGAAGCTTCCAGATCTTGAGAGGCTACTCAGTAAAATTCATAATGTTGGGTCT
CCCTGAAGAGTCAGAACCACCCAGACAGCAGGGCTATAATGTATGAAGAACTACATACAGCAAGAAGA
AGATTATTGATTTTCTTCTGCTCTGGAAGGATTCAAAGTAATGTGTAATAATATAGGGATCATGGAAGA
AGTTGCTGATGGTTTTAAGTCTAAAATCCTTAAGCAGGTCATCTCTGACAGACAAAAATCCTGAAGGT
CGTTTTCTGATTTGACTGTAGAATTGAACCGATGGGATACAGCCTTTGACCATGAAAAGGCTCGAAAGA
CTGGACTTATTACTCCCAAAGCAGGCTTTGACTCTGATTATGACCAAGCTCTGTGACATAAGAGAAAA
TGAACAGAGCCTCCTGGAATACCTAGAGAAACAGCGCAACAGAATTGGCTGTAGGACCATAGTCTATTGG
GGGATTGGTAGGAACCGTTACCAGCTGGAATTCCTGAGAATTCACCACTCGCAATTTGCCAGAAGAAT
ACGAGTTGAAATCTACCAAGAAGGGCTGTAACGATACTGGACAAAATATTGAAAAGAAGTTGGCTAA
TCTCATAAATGCTGAAGAACGGAGGGATGTATCATTGAAGGACTGCATGCGGCGACTGTTCTATACTTT
GATAAAAATTACAAGGACTGGCAGTCTGCTGTAGAGTGTATCGCAGTGTGGATGTTTTACTGTGCCCTGG
CTAACTATAGTCGAGGGGGTGTGGTCTATGTGTGCGCCAGTAATCTGTTGCCGGAAGATACCCCCC
CTTCTTAGAGCTTAAAGGATCACGCCATCCTTGCATTACGAAGACTTTTTTTGGAGATGATTTTATTCTT
AATGACATTCTAATAGGCTGTGAGGAAGAGGAGCAGGAAAATGGCAAAGCCTATTGTGTGCTTGTACTG
GACCAAATATGGGGGCAAGTCTACGCTTATGAGACAGGCTGGCTTATTAGCTGTAAATGGCCAGATGGG
TTGTTACGTCCCTGCTGAAGTGTGACAGGCTCACACCAATTGATAGAGTGTACTAGACTTGGTGCCTCA
GACAGAATAATGTCAGGTGAAAGTACATTTTTTTGTTGAATTAAGTAAAAGTCCAGCATACTGCATG
CAACAGCACATTTCTGCTGCTTGTGGATGAATTAGGAAGAGTACTGCAACATTTGATGGGACGGCAAT
AGCAAATGCAGTTGTTAAAGAATTGCTGAGACTATAAAATGTCGTACATTATTTTCAACTCACTACCAT
TCATTAGTAGAAGATTATTCTCAAAATGTTGCTGTGCGCCTAGGACATATGGCATGCATGGTAGAAAATG
AATGTGAAGACCCAGCCAGGAGACTATTACGTTCTCTATAAATTCATTAAGGGAGCTTGTCTAAAAG
CTATGGCTTTAATGCAGCAAGGCTTGTCTAATCTCCAGAGGAAGTTATTCAAAAGGGACATAGAAAAGCA
AGAGAATTTGAGAAGATGAATCAGTCACTACGATTATTTTCGGGAAGTTTGCCTGCTAGTAAAGGTCAA
CTGTAGATGCTGAAGCTGCCATAAATTGCTGACTTTGATTAAGGAATTATAG

```

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM\_001281492

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	<a href="#">NM_001281492.1</a> , <a href="#">NP_001268421.1</a>
RefSeq Size:	3957 bp
RefSeq ORF:	3693 bp
Locus ID:	2956
UniProt ID:	<a href="#">P52701</a>
Cytogenetics:	2p16.3
Protein Families:	Druggable Genome, Stem cell - Pluripotency
Protein Pathways:	Colorectal cancer, Mismatch repair, Pathways in cancer
Gene Summary:	<p>This gene encodes a member of the DNA mismatch repair MutS family. In <i>E. coli</i>, the MutS protein helps in the recognition of mismatched nucleotides prior to their repair. A highly conserved region of approximately 150 aa, called the Walker-A adenine nucleotide binding motif, exists in MutS homologs. The encoded protein heterodimerizes with MSH2 to form a mismatch recognition complex that functions as a bidirectional molecular switch that exchanges ADP and ATP as DNA mismatches are bound and dissociated. Mutations in this gene may be associated with hereditary nonpolyposis colon cancer, colorectal cancer, and endometrial cancer. Transcripts variants encoding different isoforms have been described. [provided by RefSeq, Jul 2013]</p> <p>Transcript Variant: This variant (2) uses an alternate splice site and lacks two exons in the 5' coding region compared to variant 1. The resulting protein (isoform 2) is shorter but has the same N- and C-termini compared to isoform 1.</p>