

Product datasheet for **SC337966**

Her2 (ERBB2) (NM_001289936) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Her2 (ERBB2) (NM_001289936) Human Untagged Clone
Tag:	Tag Free
Symbol:	ERBB2
Synonyms:	CD340; HER-2; HER-2/neu; HER2; MLN 19; NEU; NGL; TKR1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001289936, the custom clone sequence may differ by one or more nucleotides

```

ATGCCCCGGGGTCTGGAAGCCACAAGTGTGCACCGGCACAGACATGAAGCTGCGGCTCCCTGCCAGTC
CCGAGACCCACCTGGACATGCTCCGCCACCTCTACCAGGGCTGCCAGGTGGTGCAGGGAAACCTGGAAC
CACCTACCTGCCACCAATGCCAGCCTGTCTTCTGCAGGATATCCAGGAGGTGCAGGGCTACGTGCTC
ATCGCTCACAAACAGTGAAGCAGTCCACTGCAGAGGTGCGGATTGTGCGAGGCACCCAGCTCTTTG
AGGACAATATGCCCTGGCCGTGTAGACAATGGAGACCCGCTGAACAATACCACCCTGTACAGGGGC
CTCCCCAGGAGGCTGCGGGAGCTGCAGCTTGAAGCCTCACAGAGATCTTAAAGGAGGGGTCTTGATC
CAGCGGAACCCAGCTCTGCTACCAGGACACGATTTTGTGGAAGGACATCTTCCACAAGAACAACCAGC
TGGCTCTCACACTGATAGACACCAACCGCTCTCGGGCCTGCCACCCTGTTCTCCGATGTGTAAGGGCTC
CCGCTGTGCGGAGAGATTCTGAGGATTGTGAGGCCTGACGCGCACTGTCTGTGCCGGTGGCTGTGCC
CGCTGCAAGGGGCCACTGCCACTGACTGCTGCCATGAGCAGTGTGCTGCCGGCTGCACGGGCCCAAGC
ACTCTGACTGCCTGGCCTGCCTCCACTTCAACCACAGTGGCATCTGTGAGCTGCACTGCCAGCCCTGGT
CACCTACAACACAGACACGTTTGTAGTCCATGCCAATCCCAGGGCCGGTATACATTCGGCGCCAGCTGT
GTGACTGCCTGTCCCTACAACACTCTTCTACGGACGTGGGATCCTGCACCCTCGTCTGCCCCCTGCACA
ACCAAGAGGTGACAGCAGAGGATGGAACACAGCGGTGTGAGAAGTGCAGCAAGCCCTGTGCCCGAGTGTG
CTATGGTCTGGGCATGGAGCACTTGCAGAGGTGAGGGCAGTTACCAGTGCCAATATCCAGGAGTTTGTG
GGCTGCAAGAAGATCTTTGGGAGCCTGGCATTCTGCCGGAGAGCTTTGATGGGGACCCAGCCTCCAACA
CTGCCCGCTCCAGCCAGAGCAGCTCCAAGTGTGAGACTCTGGAAGAGATCACAGGTTACCTATACAT
CTCAGCATGGCCGGACAGCCTGCCTGACCTCAGCGTCTCCAGAACCTGCAAGTAATCCGGGGACGAATT
CTGCACAATGGCGCCTACTCGCTGACCCTGCAAGGGCTGGGCATCAGCTGGCTGGGGCTGCGCTCACTGA
GGGAACGGGCAGTGGACTGGCCCTCATCCACCATAACACCCACCTCTGCTTCGTGCACACGGTGGCCCTG
GGACCAGCTCTTTCGGAACCCGACCAAGCTCTGCTCCACTGCCAACCAGGACAGGACGAGTGTGTG
GGCAGGGCCTGGCCTGCCACCAGCTGTGCGCCGAGGGCACTGTGGGGTCCAGGGCCACCCAGTGTG
TCAACTGCAGCCAGTTCTTTCGGGGCCAGGAGTGGTGGAGGAATGCCGAGTACTGCAGGGCTCCCCAG

```



[View online »](#)

```

GGAGTATGTGAATGCCAGGCACTGTTTGCCGTGCCACCCTGAGTGTGAGCCCAAGATGGCTCAGTGACC
TGTTTTGGACCGGAGGCTGACCACTGTGTGGCCTGTGCCACTATAAGGACCCTCCCTTCTGCGTGGCC
GCTGCCCCAGCGGTGTGAAACCTGACCTCTCTACATGCCCATCTGGAAGTTTCCAGATGAGGAGGGCGC
ATGCCAGCCTTGCCCATCAACTGCACCACTCCTGTGTGGACCTGGATGACAAGGGTGCCCGCCGAG
CAGAGAGCCAGCCCTCTGACGTCCATCATCTCTGCGGTGGTTGGCATTCTGCTGGTCGTGGTCTTGGGG
TGGTCTTTGGGATCCCTCATCAAGCGACGGCAGCAGAAGATCCGGAAGTACACGATGCGGAGACTGCTGCA
GGAAACGGAGCTGGTGGAGCCGCTGACACCTAGCGGAGCGATGCCCAACCAGGCGAGATGCCGATCT
AAAGAGACGGAGCTGAGGAAGGTGAAGGTGCTTGGATCTGGCGCTTTTGGCACAGTCTACAAGGCATCT
GGATCCCTGATGGGGAGAATGTGAAAATCCAGTGGCCATCAAAGTGTGAGGGAAAACACATCCCCCAA
AGCCAACAAGAAATCTTAGACGAAGCATACGTGATGGCTGGTGTGGGCTCCCCATATGTCTCCCGCCTT
CTGGGCATCTGCCTGACATCCACGGTGCAGCTGGTACACAGCTTATGCCCTATGGCTGCCTCTTAGACC
ATGTCCGGGAAAACCGCGGACGCCTGGGCTCCCAGGACCTGTGAACTGGTGTATGCAGATTGCCAAGGG
GATGAGCTACCTGGAGGATGTGCGGCTCGTACACAGGACTTGGCCGCTCGAACGTGCTGGTCAAGAGT
CCCAACCATGTCAAAATTACAGACTTCGGGCTGGCTCGGCTGCTGGACATTGACGAGACAGAGTACCATG
CAGATGGGGGCAAGGTGCCCATCAAGTGGATGGCCTGGAGTCCATTCTCCGCCGCGGTTACCCACCA
GAGTGATGTGTGGAGTTATGGTGTGACTGTGTGGGAGCTGATGACTTTTGGGGCCAAACCTTACGATGGG
ATCCCAGCCCGGAGATCCCTGACCTGTGAAAAGGGGGAGCGGCTGCCCCAGCCCCCATCTGCACCA
TTGATGTCTACATGATCATGGTCAAATGTTGGATGATTGACTCTGAATGTCGGCCAAGATTCCGGGAGTT
GGTGTCTGAATTTCCCGCATGGCCAGGGACCCCCAGCGCTTTGTGGTATCCAGAATGAGGACTTGGGC
CCAGCCAGTCCCTTGACAGCACCTTCTACCGCTCACTGCTGGAGGACGATGACATGGGGGACCTGGTGG
ATGCTGAGGAGTATCTGGTACCCAGCAGGGCTTCTTCTGTCCAGACCCTGCCCGGGCGCTGGGGGCAT
GGTCCACCACAGGCACCCGAGCTCATCTACCAGGAGTGGCGGTGGGGACCTGACACTAGGGCTGGAGCCC
TCTGAAGAGGAGGCCCCAGGTCTCCACTGGCACCCCTCCGAAGGGGCTGGCTCCGATGTATTTGATGGTG
ACCTGGGAATGGGGGACGCCAAGGGGCTGCAAAGCCTCCCCACACATGACCCAGCCCTCTACAGCGGTA
CAGTGAGGACCCACAGTACCCCTGCCCTCTGAGACTGATGGCTACGTTGCCCCCTGACCTGCAGCCCC
CAGCCTGAATATGTGAACCAGCCAGATGTTGCGCCCCAGCCCCCTTCCGCCCCGAGAGGGCCCTCTGCCTG
CTGCCCGACCTGCTGGTGCCACTCTGGAAGGCCCAAGACTCTCTCCCCAGGGAAGAATGGGGTCTGCAA
AGACGTTTTTGCCTTTGGGGGTGCCGTGGAGAACCCCGAGTACTTGACACCCAGGGAGGAGCTGCCCTT
CAGCCCCACCCTCTCTGCCTTACGCCAGCCTTCGACAACCTCTATTACTGGGACCAGGACCCACCAG
AGCGGGGGGCTCCACCCAGCACCTTCAAAGGGACACCTACGGCAGAGAACCAGAGTACCTGGGTCTGGA
CGTGCCAGTGA
    
```

Restriction Sites: SgfI-MluI

ACCN: NM_001289936

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	NM_001289936.1 , NP_001276865.1
RefSeq Size:	4940 bp
RefSeq ORF:	3723 bp
Locus ID:	2064
UniProt ID:	P04626
Cytogenetics:	17q12
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Adherens junction, Bladder cancer, Calcium signaling pathway, Endometrial cancer, ErbB signaling pathway, Focal adhesion, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Prostate cancer
Gene Summary:	<p>This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (3) has an alternate 5' UTR and 5' coding region, compared to variant 1. The resulting isoform (c) has a distinct and shorter N-terminus, compared to isoform a.</p>