

Product datasheet for **SC337983**

CYFIP2 (NM_001291722) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CYFIP2 (NM_001291722) Human Untagged Clone
Tag:	Tag Free
Symbol:	CYFIP2
Synonyms:	EIEE65; PIR121
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001291722, the custom clone sequence may differ by one or more nucleotides

```

ATGACCACGCACGTACCCTGGAAGATGCCCTGTCCAACGTGGACCTGCTTGAAGAGCTTCCCCTCCCCG
ACCAGCAGCCATGCATCGAGCCTCCACCTTCTCCATCATGTACCAGGCTAACTTTGACACAAAACCTTGA
GGACAGGAATGCATTTGTACGGGCATTGCAAGGTACATTGAGCAGGCTACAGTCCACTCCAGCATGAAT
GAGATGCTGGAGGAAGGACATGAGTATGCGGTCATGCTGTACACCTGGCGCAGCTGTTCCCGGGCCATTC
CCCAGGTGAAATGCAACGAGCAGCCCAACCGAGTAGAGATCTATGAGAAGACAGTAGAGGTGCTGGAGCC
GGAGGTACCAAGCTCATGAAGTTCATGTATTTTCAGCGCAAGGCCATCGAGCGGTTCTGCAGCGAGGTG
AAGCGGCTGTGCCATGCCGAGCGCAGGAAGGACTTTGTCTCTGAGGCCTACCTCCTGACCCTTGGAAGT
TCATCAACATGTTTGCTGTCTGGATGAGCTAAAGAACATGAAGTGCAGCGTCAAGAATGACCACTCTGC
CTACAAGAGGGCAGCACAGTTCCTGCGGAAGATGGCAGATCCCCAGTCTATCCAGGAGTCGAGAACCTT
TCCATGTTCTGGCCAACCACAACAGGATCACCCAGTGTCTCCACCAGCAACTTGAAGTGTACCCAGGCT
ATGAGGAGCTGCTGGCTGACATTGTCAACATCTGTGTGGATTACTACGAGAACAAGATGTACCTGACTCC
CAGTGAGAAAACATATGCTCCTCAAGGTGATGGGCTTTGGCCTCTACCTAATGGATGGAAATGTCAGTAAC
ATTTACAACTGGATGCCAAGAAGAGAATTAATCTTAGCAAAATTGATAAATTCTTTAAGCAGCTGCAGG
TGGTGGCCCTTTTCGGCGACATGCAGATAGAGCTGGCCAGATACATTAAGACCAGTGCTCACTATGAAGA
GAACAAGTCCAAGTGGAGTGCACCCAGAGCAGCATCAGCCCCAGTACAATATCTGCGAGCAGATGGTT
CAGATCCGGGATGACCACATCCGCTTCATCTCCGAGCTCGCTACAGCAACAGTGAGGTGGTGACGG
GCTCAGGGCTGGACAGCCAGAAGTCAGACGAGGAGTATCGCGAGCTCTTCGACCTAGCCCTGCGGGTCT
GCAGCTTCTATCCAAGTGGAGCGCCACGTCATGGAGGTGACTCTTGAAGCTGGTTTCATCCCACAGAC
AAGTTCTGCAACAAGGACTGTCTGGCACC GCGGAGGAATATGAGAGAGCCACACGCTACAATTACACCA
GTGAGGAAAAATTTGCCTCGTTGAGGTGATCGCCATGATCAAAGGCCTGCAGGTGCTCATGGGCAGGAT
GGAGAGCGTCTTCAACCAGGCCATCAGGAACACCATCTACGCGGCTTGCAGGACTTCGCCCAGGTGACG
CTGCGTGAGCCCCTGCGCAGGCGGTACGGAAGAAGAAGTATGTCCTCATCAGCGTCTACAGGCAATTC
GAAAGACCATCTGTGACTGGGAGGGAGGGCGAGAGCCCCCTAATGACCCATGCTTGAGAGGGGAGAAGGA

```



View online »

```

CCCCAAAGGTGGATTTGATATCAAGGTGCCCGCGCTGCTGTGGGGCCATCCAGCACACAGGCCTGCCAG
TGGTCCCCGAGGGCTTTGTTTCACCCCACTGGTGGCACACAGGGCCGAAGAGGCTGCCGATCCCTGCTGT
ACATGGTGCAGGACCATGCTTGAATCACTCATTGCAGACAAAAGCGGCTCCAAGAAGACCCCTGAGGAGCAG
CCTGGATGGACCCATTGTCTCGCCATAGAGGACTTTCACAAACAGTCTTCTTCTTACACATCTGCTC
AACATCAGTGAAGCCCTGCAGCAGTGTGTGACCTCTCCAGCTCTGGTCCGAGAATTCTTCTGGAGT
TAACCATGGGCCGACGAATCCAGTTCATGATGGAGTATGTCCTCTACCCTCTGGATCTGTACAACGACAGCGCTAC
GGAAACCAAAGAACCTTCCATGATGGAGTATGTCCTCTACCCTCTGGATCTGTACAACGACAGCGCTAC
TATGCTCTGACCAAGTTTAAAAAGCAGTTCCTGTACGATGAGATAGAAGCTGAGGTGAACCTGTGTTTTG
ATCAGTTTGTCTACAAGCTGGCAGACCAGATCTTTGCTTACTACAAGCCATGGCTGGCAGTGTCTGTT
GGATAACGTTTTTCGAGCTGAGTGAAGAATTATGGCGTCATCATTCCGTATCCACCGTCCAATCGCTAT
GAAACTGCTGAAGCAGAGACAGTCCAGCTGTTGGGTAGATCAATTGACTTGAACAGACTCATTACCC
AGCGCATCTCTGCCGCCATGTATAAATCCTTGGACCAAGCTATCAGCCGCTTTGAGAGTGAGGACCTGAC
CTCCATTGTGGAGCTGGAGTGGCTGCTGGAGATTAACCGGCTCACGCATCGGCTGCTCTGAAGCATATG
ACGCTGGACAGCTTCGATGCCATGTTCCGAGAGGCCAATCACAATGTGTCCGCCCCCTATGGCCGTATCA
CCCTGCATGTCTTCTGGAACTGAACCTTGAACCTTCTCCCAACTACTGCTACAATGGGTCCACTAACCG
TTTTGTGCGGACTGCCATTCTTTCACCCAAGAACCACAACGAGACAAACCTGCCAACGTCACAGCCTTAT
TACCTCTATGGATCCAAGCCTCTCAACATTGCCTACAGCCACATCTACAGCTCTACAGGAATTTCTGTTG
GGCCACCTCATTCAAGACTATCTGCAGACTCCTGGGTTATCAGGGCATCGCTGTGGTATGGAGGAACT
GCTAAAGATTGTGAAGAGCTTGCTCCAAGGAACCATCTCCAGTATGTGAAAACACTGATAGAGGTGATG
CCCAAGATATGCCGCTTGCCCGGACATGAGTATGGCTCCCCAGGGATCCTGGAGTTCTTCCACCACCAGC
TGAAGGACATCATTGAGTACGCAGAGCTCAAAACAGACGTGTTCCAGAGCCTGAGGGAAGTGGGCAATGC
CATCCTTCTGCCTCCTCATAGAGCAAGCTCTGTCTCAGGAGGAGGTCTGCGATTTGCTCCATGCCGCA
CCCTTCCAAAACATCTTGCTAGAGTCTACATCAAAGAGGGGGAGCGCCTGGAGTCCGGATGAAACGTC
TGAAGCCAAGTATGCCCGCTCCACCTGGTCCCTCTGATCGAGCGGCTGGGGACCCCTCAGCAAATCGC
CATTGCTCGCGAGGGTGACCTCCTGACCAAGGAGCGGCTGTGCTGTGGCCTGTCCATGTTGAGGTCATC
CTGACCCGCAATTCGAGCTACCTGCAGGACCCATCTGGCGGGGCCACCGCCACCAATGGCGTCATGC
ACGTCGATGAGTGTGGAGTTCACCGGCTGTGGAGCGCCATGCAGTTCGTGTACTGCATCCCTGTGGG
AACCAACGAGTTCACAGCTGAGCAGTGTTCGGCGATGGCTTGAACCTGGGCTGGTTGCTCCATCATTGTC
CTGCTGGCCAGCAGCGTCGCTTTGACCTGTTGACTTCTGTTACCACCTGCTAAAAGTGCAGAGGCAGG
ACGGGAAGGATGAAATCATTAAAGATGTGCCCTGAAGAAGATGGCCGACCGGATCAGGAAGTATCAGAT
CTTGAACAATGAGTTTTTGCATCCTGAACAAATACATGAAGTCCGTGGAGACAGACAGTCCACTGTG
GAGCATGTGCGTGCTTCCAGCCACCCATCCACCAGTCTTGGCCACCACTTGTAA
    
```

Restriction Sites:

Sgfl-MluI

ACCN:

NM_001291722

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001291722.1, NP_001278651.1</u>
RefSeq Size:	6574 bp
RefSeq ORF:	3837 bp
Locus ID:	26999
UniProt ID:	<u>Q96F07</u>
Cytogenetics:	5q33.3
Protein Pathways:	Regulation of actin cytoskeleton
Gene Summary:	<p>Involved in T-cell adhesion and p53/TP53-dependent induction of apoptosis. Does not bind RNA. As component of the WAVE1 complex, required for BDNF-NTRK2 endocytic trafficking and signaling from early endosomes (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (5) contains an alternate in-frame exon in the central coding region, compared to variant 1. The encoded isoform (c) is longer than isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>