

Product datasheet for **SC338071**

EIF4G1 (NM_001291157) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | EIF4G1 (NM_001291157) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | EIF4G1 |
| Synonyms: | EIF-4G1; EIF4F; EIF4G; EIF4GI; P220; PARK18 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >NCBI ORF sequence for NM_001291157, the custom clone sequence may differ by one or more nucleotides |

```

ATGAACACGCCTTCTCAGCCCCGCCAGCACTTCTACCCTAGCCGGGCCAGCCCCGAGCAGTGCAGCCT
CCCCGAGTGCAGAGTGCAGCCCCTGCCGCCCTGGCCAGCTGCCCATGTCTACCCTGCTGGATCCCAAGT
AATGATGATCCCTTCCCAGATCTCTACCAGCCTCCCAGGGGGCCTACTACATCCCTGGACAGGGGCGT
TCCACATACGTTGTCCCAGACACAGCAGTACCCTGTGCAGCCAGGAGCCCCAGGCTTCTATCCAGGTGCAA
GCCCTACAGAATTTGGGACCTACGCTGGCGCTACTATCCAGCCCAAGGGGTGCAGCAGTTTCCCACTGG
CGTGGCCCCGCCAGTTTTGATGAACCAGCCACCCAGATTGCTCCCAAGAGGGAGCGTAAGACGATC
CGAATTCGAGATCCAACCAAGGAGGAAAGGATATCACAGAGGAGATCATGTCTGGGCCCCGACTGCCT
CCACACCCACCCCTCCCCAGACGGGAGGCGGTCTGGAGCCTCAAGCTAATGGGGAGACGCCCCAGGTTGC
TGTCAATTGTCCGGCCAGATGACCGGTACACAGGGAGCAATCATTGCTGACCGGCCAGGGCTGCCTGGCCCA
GAGCATAGCCCTTCAAGATCCCAGCCTTCTCGCCTTCTCCGACCCCATCACCATCCCCAGTCTTGGAAAC
CGGGGTCTGAGCCTAATCTCGCAGTCTCTCTATTCTGGGGACACTATGACAACTATACAAATGTCTGT
AGAAGAATCAACCCCATCTCCCGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT
GCCGAACCCATACTGGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT
CTCTCCAGGCTCCCACCCCTTTGGCATCTCACACAGTGGAAATTCATGAGCCTAATGGCATGGTCCCATC
TGAAGATCTGGAACCAAGGAGGAGTCAAGCCAGAGCTTGTCTCTCCCAAGGAGGAGGAGGAGGAGGAGG
CCTGTGCCATTGCTCCAACCTGCCAACCTGAGGAAGTGTCAACGGAGCCCCCTCGCCACCAAGTGTGG
ACTTAAGCCAGTCAAGTGAAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG
CCCCTCTGCTACTCCAGTACGGCTCCTTCAAGTACTTCCCAGCTCAGGAGGAGGAGGAGGAGGAGGAGGAG
GAAGAAGAGGAAGAAGGAGAAGCAGGAGAAGCAGGAGAAGCTGAGAGTGAAGGAGGAGGAGGAGGAGGAGG
TCCCCCAGAGAGTACCCTATTCCAGCAACTTGTCTCAGAATTTGGAGGCAGCAGCAGCCACTCAAGT
GGCAGTATCTGTGCCAAGAGGAGACGGAAAATTAAGGAGCTAAATAAGAAGGAGGCTGTTGGAGACCTT
CTGGATGCCTTCAAGGAGGCGAACCCGGCAGTACCAGAGGTGGAAAATCAGCCTCTGCAGGCAGCAATC
CAGGCCAGAGTCTGAGGCAGTGGTGTGCCCCACGCTCTGAGGAAGCAGATGAGACCTGGGACTCAA

```



[View online »](#)

GGAAGACAAAATTCACAATGCTGAGAACATCCAGCCCGGGGAACAGAAATGAATATAAGTCAGATCAG
 TGGAAAGCCTCTAAACCTAGAGGAGAAAAACGTTACGACCGTGAGTTCCTGCTTGGTTTTTCAGTTCATCT
 TTGCCAGTATGCAGAAGCCAGAGGGATTGCCACATATCAGTGACGTGGTCTGGACAAGGCCAATAAAAC
 ACCACTGCGGCCACTGGATCCCCTAGACTACAAGGCATAAAATTTGGCCAGACTTCACTCCATCCTTT
 GCCAACCTTGGCCGACAACCCCTAGCACCCGTGGGCCCAAGGGTGGGCCAGGTGGGGAGCTGCCCC
 GTGGCCCGGCTGGCCTGGGACCCCGCGCTCTCAGCAGGGACCCGAAAAGAACCACGCAAGATCATTGC
 CACAGTGTAAATGACCGAAGATATAAACTGAACAAAGCAGAGAAAGCCTGGAAACCCAGCAGCAAGCGG
 ACGGCGGCTGATAAGGATCGAGGGGAAGAAGATGCTGATGGCAGCAAAACCCAGGACCTATTCCGCAGGG
 TGCCTCCATCCTGAATAAACTGACACCCAGATGTTCCAGCAGCTGATGAAGCAAGTGACGCAGCTGGC
 CATCGACACCGAGGAACGCCTCAAAGGGTCAATTGACCTCATTTTTGAGAAGGCCATTTAGAGCCCAAC
 TTCTCTGTGGCCTATGCCAACATGTGCCGCTGCCTCATGGCGCTGAAAGTGCCCACTACGAAAAGCCAA
 CAGTGACTGTGAACCTCCGAAAGCTGTTGTTGAATCGATGTCAGAAGGAGTTTGAGAAAGACAAAGATGA
 TGATGAGTTTTTGAGAAGAAGCAAAAAGAGATGGATGAAGCTGCTACGGCAGAGGAACGAGGACGCTG
 AAGGAAGAGCTGGAAGAGGCTCGGGACATAGCCCGGCGGCTCTTTAGGAATATCAAGTTTATTGGAG
 AGTTGTTCAAACCTGAAGATGTTAACAGAGGCAATAATGCATGACTGTGTGGTCAAACCTGTTAAGAACCA
 TGATGAAGAGTCCCTTGAGTGCCTTTGCTGCTGCTCACCACCATTGGCAAAGACCTGGACTTTGAAAAA
 GCCAAGCCCCGAATGGATCAGTATTTCAACCAGATGGAATAAATCATTAAAGAAAAGAAGACGTCATCCC
 GCATCCGCTTTATGCTGCAGGACGTGCTGGATCTGCGAGGGAGCAATTGGGTGCCACGCCGAGGGGATCA
 GGTCCCAAGACCATTGACCAGATCCATAAGGAGGCTGAGATGGAAGAACATCGAGAGCAGATCAAAGTG
 CAGCAGCTCATGGCCAAGGGCAGTGACAAGCGTCGGGGCGGTCTCCAGGCCCTCCCATCAGCCGTGGAC
 TTCCCCTTGTTGGATGATGGTGGCTGGAACACAGTTCATCAGCAAAGGTAGCCGCCCAATTGACACCTC
 ACGACTACCAAGATACCAAGCCTGGCTCCATCGATTCTAACAACCAAGCTCTTTGCACCTGGAGGGCGA
 CTGAGCTGGGGCAAGGGCAGCAGCGGAGGCTCAGGAGCCAGCCCTCAGACGCAGCATCAGAAGCTGTC
 GCCCAGCTACTAGTACTTTGAATCGCTTCTCAGCCCTTCAACAAGCGGTACCCACAGAAAAGCAGATAA
 TAGACGTGTGGTGCAGAGGAGTAGCTTAGCCGAGAACGAGGCGAGAAAGCTGGAGACCGAGGAGACCGC
 CTAGAGCGGAGTGAACGGGGAGGGGACCGTGGGGACCGCTTGATCGTGCAGGACACCTGCTACCAAGC
 GGAGCTTCAGCAAGGAAGTGGAGGAGCGGAGTAGAGAACGGCCCTCCAGCCTGAGGGGCTGCGCAAGGC
 AGCTAGCCTCACGGAGGATCGGGACCGTGGGCGGGATGCCGTGAAGCGAGAAGCTGCCCTACCCCAAGT
 AGCCCCCTGAAGGCGCTCTCTCTGAGGAGGAGTTAGAGAAGAAATCCAAGGCTATCATTGAGGAATATC
 TCCATCTCAATGACATGAAAGAGGCAGTCCAGTGCCTGCAGGAGCTGGCCTCACCTCCTTGCTCTTCAT
 CTTTGTACGGCATGGTGTGAGTCTACGCTGGAGCGCAGTGCCATTGCTCGTGAGCATATGGGGCAGCTG
 CTGCACCAGCTGCTCTGTGCTGGGCATCTGTCTACTGCTCAGTACTACCAAGGGTTGATGAAATCTTGG
 AATTGGCTGAGGACATGGAATGACATCCCCACGTGTGGCTCTACCTAGCGGAACTGGTAACACCCAT
 TCTGCAGGAAGGTGGGGTGGCCATGGGGGAGCTGTTACAGGGAGATTACAAAGCCTCTGAGACCGTTGGGC
 AAAGCTGCTTCCCTGTTGCTGGAGATCTGGGCCCTCCTGTGCAAAAGCATGGGTCCATAAAAGGTGGGGA
 CGCTGTGGCGAGAAGCCGGGCTTAGCTGGAAGGAATTTCTACCTGAAGGCCAGGACATTTGGTGCATTTCGT
 CGCTGAACAGAAGGTGGAGTATACCCTGGGAGAGGAGTCGGAAGCCCTGGCCAGAGGGCACTCCCTCC
 GAGGAGCTGAACAGGCAGCTGGAGAAGCTGCTGAAGGAGGGCAGCAGTAACCAGCGGGTGTTCGACTGGA
 TAGAGGCCAACCTGAGTGAGCAGCAGATAGTATCCAACACGTTAGTTTCGAGCCCTCATGACGGCTGTCTG
 CTATTCTGCAATTTTTTTGAGACTCCCCCTCCGAGTGGACGTTGAGTGTGAAAGCGCGAGCGAAGCTG
 CTGCAGAAATACCTGTGTGACGAGCAGAAGGAGCTACAGGCGCTTACGCCCTCCAGGCCCTTGTAGTGA
 CCTTAGAACAGCCTCCCAACCTGCTGCGGATGTTCTTTGACGCACTGTATGACGAGGACGTGGTGAAGGA
 GGATGCCTTTACAGTTGGGAGAGTAGCAAGGACCCCGCTGAGCAGCAGGGCAAGGGTGTGGCCCTTAA
 TCTGTCACAGCCTTCTTCAAGTGGCTCCGTGAAGCAGAGGAGGAGTCTGACCACAAC**TGA**

Restriction Sites:

Sgfl-Mlul

ACCN:

NM_001291157

| | |
|-------------------------------|---|
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_001291157.1</u> , <u>NP_001278086.1</u> |
| RefSeq Size: | 5581 bp |
| RefSeq ORF: | 4680 bp |
| Locus ID: | 1981 |
| Cytogenetics: | 3q27.1 |
| Protein Pathways: | Viral myocarditis |
| Gene Summary: | <p>The protein encoded by this gene is a component of the multi-subunit protein complex EIF4F. This complex facilitates the recruitment of mRNA to the ribosome, which is a rate-limiting step during the initiation phase of protein synthesis. The recognition of the mRNA cap and the ATP-dependent unwinding of 5'-terminal secondary structure is catalyzed by factors in this complex. The subunit encoded by this gene is a large scaffolding protein that contains binding sites for other members of the EIF4F complex. A domain at its N-terminus can also interact with the poly(A)-binding protein, which may mediate the circularization of mRNA during translation. Alternative splicing results in multiple transcript variants, some of which are derived from alternative promoter usage. [provided by RefSeq, Aug 2010]</p> <p>Transcript Variant: This variant (8) differs in the 5' UTR, includes an additional internal segment in the 5' region, which results in a downstream start codon, and uses an alternate in-frame splice site in the central coding region, compared to variant 1. The resulting isoform (7) is shorter at the N-terminus, and lacks an internal residue, compared to isoform 1.</p> |