

Product datasheet for **SC338077**

MAP3K4 (NM_001301072) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MAP3K4 (NM_001301072) Human Untagged Clone
Tag:	Tag Free
Symbol:	MAP3K4
Synonyms:	MAPKKK4; MEKK 4; MEKK4; MTK1; PRO0412
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001301072, the custom clone sequence may differ by one or more nucleotides

```
ATGAGAGAAGCCGCTGCCGCGCTGGTCCCTCCTCCCGCCTTTGCCGTACGCCTGCCGCCCATGGAGG
AGCCGCCGCCACCGCCGCGCCGCCACCACCGCCACCGGAACCCGAGACCGAGTCAGAACCCGAGTGCTG
CTTGGCGCGAGGCAAGAGGGCACATTGGGAGATTGAGCTTGAAGAGTCTGAATCTGATCTAGAAGAC
TTCTCCGATGAAACAAATACAGAGAATCTTTATGGTACCTCTCCCCCAGCACACCTCGACAGATGAAAC
GCATGTCAACCAACATCAGAGGAATAATGTGGGGAGGCCAGCCAGTCGGTCTAATTTGAAAGAAAAAT
GAATGCACCAAAATCAGCCTCCACATAAAGACACTGGAAAAACAGTGGAGAATGTGGAAGAATACAGCTAT
AAGCAGGAGAAAAAGATCCGAGCAGCTTTAGAACACAGAGCGTGATCATAAAAAAATGTACAGTGCT
CATTTCATGTTAGACTCAGTGGGTGGATCTTTGCCAAAAAATCAATTCAGATGTGGATCTCAATAAGCC
TTACCTCAGCCTTGGCTGTAGCAATGCTAAGCTCCAGTATCTGTGCCCATGCCTATAGCCAGACCTGCA
CGCCAGACTTCTAGGACTGACTGTCCAGCAGATCGTTTAAAGTTTTTTGAAACTTTACGACTTTTGCTAA
AGCTTACCTCAGTCTCAAAGAAAAAGACAGGGAGCAAAGAGGACAAGAAAAATACGTCTGGTTTTCTGGCT
TAACCGATCTAACGAAGTCTGTTAGAGCTACAAGCTGGCATGCAGGACGGACAATTAACGACCAG
GACTTCTTTTTATACAGCCCGTCAAGCCATCCAGATATTATTAATGAAATCCTTACTTTCAAAGTCG
ACTATGGGAGCTTCGCCTTTGTAGAGATAGAGCTGGTTTTAATGGTACTTCAGTAGAAGGGCAGTGCAA
AGCCACTCCTGGAACAAAGATTGTAGGTTACTCAACACATCATGAGCATCTCAAACGCCAGAGGGTCTCA
TTTGAGCAGGTAACCGATAATGGAGCTGTAGAGTACATAGAAGCACTTTATCCATCATTGCAGGCTC
TTCAGAAGGACTATGAAAAATATGCTGCAAAAGACTTCCAGGACAGGGTGCAGGCACTCTGTTTGTGGTT
AAACATCAAAAAGACTTAAATCAGAAATTAAGGATTATGGGCACTGTTTTGGGCATCAAGAATTTATCA
GACATTGGCTGGCCAGTGTGTTGAAATCCCTTCCCTCGACCATCAAAGGTAATGAGCCGGAGTATGAGG
GTGATGACACAGAAGGAGAATTAAGGAGTTGGAAAGTAGTACGGATGAGAGTGAAGAAGAACAATCTC
TGATCCTAGGGTACCGGAAATCAGACAGCCATAGATAACAGCTTCGACATCCAGTCGCGGGACTGCATA
TCCAAGAAGCTTGAGAGGCTCGAATCTGAGGATGATTCTTGGCTGGGGAGCACCAGACTGGAGCACAG
AAGCAGGCTTTAGTAGACATTGTCTGACTTCTATTATAGACCATTTGTAGACAAAGCACTGAAGCAGAT
```



[View online »](#)

GGGGTTAAGAAAGTAAATTTTAAGACTTCACAAGCTAATGGATGGTTCCTTGCAAAGGGCACGTATAGCA
 TTGGTAAAGAACGATCGTCCAGTGGAGTTTTCTGAATTTCCAGATCCCATGTGGGGTTCAGATTATGTGC
 AGTTGTCAAGGACACCACCTTCTCTGAGGAGAAATGCAGTGTGTGCTGGGAGGAGCTGAAGGCCAT
 GGATTTACCTTCATTGAACTGCCTTCTAGTTCTCTGCCGAGTCCCTTGAATGTCATACATGAGTGT
 CTGAAGTTAAGATTGGAGCAGAGACCTGCTGGAGAACCATCTCTTTGAGTATTAAGCAGCTGGTGAAG
 AGTGTAAAGGAGTCCCTGAAGGGCGGCTGCTGATGAAGCAGTACTACCAGTTCATGCTGCAGGAGTTCT
 GGAGGACTTGGAGAAGCCGACTGCAACATTGACGCTTTTGAAGAGGATCTACATAAAAGCTTATGGTG
 TATTTTATTACATGAGAAGCTGGATCCAAATGCTACAGCAATTACCTCAAGCATCGCATAGTTTTAAAA
 ATCTGTTAGAAGAAGAATGGAATTTACCAAAGAAATAACTCATTACATACGGGGAGGAGAAGCACAGGC
 CGGAAGCTTTTCTGTGACATTGCAGGAATGCTGCTGAAATCTACAGGAAGTTTTTGTAGAAATTTGGCTTA
 CAGGAGAGCTGTGCTGAAATTTGGACTAGTGGGATGACAGCAGTGTCCGACGAAATCAGGAGGTCTG
 TTATAGAGATCAGTCGAGCCCTGAAGGAGCTTCCATGAAGCCAGAGAAAGGGCTTCAAAGCACTTGG
 ATTTGCTAAAATGTTGAGAAAGGACCTGGAATAGCAGCAGAATTCAGGCTTTCAGCCCCAGTTAGAGAC
 CTCCTGGATGTTCTGAAATCAAACAGTATGTCAAGGTGCAAATTCCTGGTTAGAAAATTTGCAAATGT
 TTGTTCCAGACTCTTGTGAGGAGAAGAGTATTATTTGCAGTTACTCAATGCAGCTGCAGGAAAGGA
 CTGTTCAAAGATTAGATGACGTACTCATCGATGCCTATCTGCTTCTGACCAAGCACGGTGATCGAGCC
 CGTGATTCAGAGGACAGCTGGGGCACCTGGGAGGCACAGCCTGTCAAAGTCGTGCCTCAGGTGGAGACTG
 TTGACACCCTGAGAAGCATGCAGGTGGATAATCTTTTACTAGTTGTATGCAGTCTGCGCATCTCACAAT
 TCAGAGAAAAGCTTCCAGCAGTCCATTGAGGGACTTAGACTCTGTGCCAGGAGCAGACATCCAGTCAG
 CCGGTCATCGCCAAAGCTTTCAGCAGCTGAAGAATGATGCATTGGAGCTATGCAACAGGATAAGCAATG
 CCATTGACCGCTGGACCACATGTTACATCAGAATTTGATGCTGAGGTTGATGAATCTGAATCTGTCAC
 CTTGCAACAGTACTACCGAGAAGCAATGATTCAGGGTACAATTTGGATTTGAGTATCATAAAGAAGTT
 GTTCGTTTGTCTGGGAGTTTAGACAGAAGTAGGAGACAAATATATAAGCTTTGCCCGAAGTGGGA
 TGAATTATGCTCCTGACTAAATGTGAGAGTGGTAGAGGTACAAGACCCAGGTGGGCGACTCAAGGATTTGA
 TTTTCTACAAGCAATTGAACCTGCCTTTATTTAGCTTTACCAGAAGTACTTCTTGTGTTTACAAGCC
 TTGATGAATGAATGCATTGGCCATGTCATAGGAAAACACACAGTCTGTACAGCCATTATCGGAACA
 GCCCCCGTCTATGAAGGTACCTCGATGCCATAGTGACCTCCTAACCCACACCTCATTATCCCCACTCC
 AGAGGGATTACGACTCGGAGCATGCCTTCCGACGCGGGAGCCATGGCAGCCCTGCTGCTGCTGCTGCT
 GCTGCTGCTGCTGCTGTTGCTGCCAGTCGGCCAGCCCTCTGGTGGTACTCTGTGCTGCCAAATCCA
 TCAGCAGTGCCCATGATACCAGGGTTCACGCTTCTGAAAATGATCGATTGGCTTCCATAGCTGCTGA
 ATTGCAGTTTAGTCCCTGAGTCGTCACTCAAGCCCCACGGAGGAGCAGATGAACCAGCATATCCAAGA
 GGAGATCAAGTGGTCCACAAGAAGAAGTTGGGAACCTCGGACACTAATCAGCCAGAGTAAAGTACTG
 CTTCTAAACTAGGACCCATAGAAGCTATCCAGAAGTCAGTCCGATTGTTTGAAGAAAAGAGGTACCGAGA
 AATGAGGAGAAAAGAAATATCATTGGTCAAGTTTGTGATACGCCCTAAGTCTATGATAATGTTATGCAGTT
 GGCTTGAGGAAGGTGACCTTCAAATGGCAAAGAGGAAACAAAATGGAGAAGGCCAGTATGGGAAGGTGT
 ACACCTGCATCAGCGTCGACACCCGGGAGCTGATGGCCATGAAAGAGATTGATTCAACCTAATGACCA
 TAAGACTATCAAGGAACTGCAGACGAATTGAAAATATTCGAAGGCATCAAACACCCCAATCTGGTTCGG
 TATTTTGGTGTGGAGCTCCATAGAGAAGAAATGTACATCTTATGGAGTACTGCGATGAGGGGACTTTAG
 AAGAGGTGTCAAGGCTGGGACTTCAGGAACATGTGATTAGGCTGTATTCAAAGCAGATCACCATTGCGAT
 CAACGTCCTCCATGAGCATGGCATAGTCCACCGTGACATTAAGGTGCCAATATCTTCTTACCTCATCT
 GGATTAATCAAATGGGAGATTTGGATGTTTCAAGTAAAGCTCAAAAACAATGCCAGACCATGCCTGGTG
 AAGTGAACAGCACCCCTGGGGACAGCAGCATACATGGCACCTGAAGTCATCACTCGTGCCAAAGGAGAGGG
 CCATGGGCGTGCGCCGACATCTGGAGTCTGGGTGTGTTGTCATAGAGATGGTACTGGCAAGAGGCCCT
 TGGCATGAGTATGAGCACAATTTCAAATATGTATAAAGTGGGGATGGGACATAAGCCACCAATCCCTG
 AAAGATTAAGCCCTGAAGGAAAGGACTTCTTTCTCACTGCCTTGGAGTACCCAAAGATGAGATGGAC
 CGCCAGCCAGCTCCTCGACCATTGTTTTGTCAAGGTTTGCACAGATGAAGAA**TGA**

Restriction Sites: SgfI-MluI
ACCN: NM_001301072

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001301072.1</u> , <u>NP_001288001.1</u>
RefSeq Size:	5552 bp
RefSeq ORF:	4815 bp
Locus ID:	4216
UniProt ID:	<u>Q9Y6R4</u>
Cytogenetics:	6q26
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	GnRH signaling pathway, MAPK signaling pathway
Gene Summary:	<p>The central core of each mitogen-activated protein kinase (MAPK) pathway is a conserved cascade of 3 protein kinases: an activated MAPK kinase kinase (MAPKKK) phosphorylates and activates a specific MAPK kinase (MAPKK), which then activates a specific MAPK. While the ERK MAPKs are activated by mitogenic stimulation, the CSBP2 and JNK MAPKs are activated by environmental stresses such as osmotic shock, UV irradiation, wound stress, and inflammatory factors. This gene encodes a MAPKKK, the MEKK4 protein, also called MTK1. This protein contains a protein kinase catalytic domain at the C terminus. The N-terminal nonkinase domain may contain a regulatory domain. Expression of MEKK4 in mammalian cells activated the CSBP2 and JNK MAPK pathways, but not the ERK pathway. In vitro kinase studies indicated that recombinant MEKK4 can specifically phosphorylate and activate PRKMK6 and SERK1, MAPKKs that activate CSBP2 and JNK, respectively but cannot phosphorylate PRKMK1, an MAPKK that activates ERKs. MEKK4 is a major mediator of environmental stresses that activate the CSBP2 MAPK pathway, and a minor mediator of the JNK pathway. Several alternatively spliced transcripts encoding distinct isoforms have been described. [provided by RefSeq, May 2014]</p> <p>Transcript Variant: This variant (5) lacks an in-frame segment of a coding exon, compared to variant 1, resulting in a shorter protein (isoform d) compared to isoform a.</p>