

# Product datasheet for SM011APC

## Cd8a Rat Monoclonal Antibody [Clone ID: KT15]

### **Product data:**

#### **Product Type: Primary Antibodies Clone Name:** KT15 FC **Applications:** Flow Cytometry: The Fc region of monoclonal antibodies may bind non-specifically to cells **Recommended Dilution:** expressing low affinity Fc recepto **Reactivity:** Mouse Host: Rat Isotype: lgG2a Monoclonal **Clonality:** Immunogen: T cell clone, C6. Spleen cells from a Sprague Dawley rat immunised with the C6 T cell clone were fused with cells of the NSO mouse myeloma cell line. Mouse Ly2.1 and Ly2.2 cells. This antibody reacts with the CD8 alpha chain (non Specificity: polymorphic). Formulation: PBS containing 0.09% Sodium Azide, 5% Sucrose and 1% Bovine Serum Albumin Label: APC State: Lyophilized purified IgG Label: Allophycocyanin Restore with 1 ml distilled water **Reconstitution Method: Conjugation:** APC Storage: Prior to and following reconstitution store the antibody at 2-8°C. DO NOT FREEZE! This product is photosensitive and should be protected from light. Stability: Shelf life: one year from despatch. Gene Name: CD8 antigen, alpha chain Database Link: Entrez Gene 12525 Mouse P01731



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	Cd8a Rat Monoclonal Antibody [Clone ID: KT15] – SM011APC
Background:	The CD8 antigen is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediates efficient cell to cell interactions within the immune system. The CD8 antigen, acting as a coreceptor, and the T cell receptor on the T lymphocyte recognize antigen displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. The functional coreceptor is either a homodimer composed of two alpha chains, or a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains.
Synonyms:	CD8 alpha chain, CD8A, MAL

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US