

Product datasheet for SM098P

Ifng Mouse Monoclonal Antibody [Clone ID: DB1]

Product data:

Product Type: Primary Antibodies

Clone Name: DB1

Applications: ELISA, FN, IHC, WB

Recommended Dilution: ELISA: 10μg/ml - 100μg/ml.

Western Blot.

Immunohistochemistry on frozen sections.

Reactivity: Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant rat IFN gamma

Specificity: This anitbody reacts with Interferon gamma. Clone DB-1 exhibits high affinity binding to the

natural and recombinant forms and effectively neutralises the anti viral activity of IFN-gamma. It also blocks the induction of la antigen expression on murine keratinocytes. There

is no cross-reaction with rodent IFN-alpha or IFN-beta or with human interferons.

Formulation: PBS containing 125 mM trehalose and 0.09% sodium azide

State: Purified

State: Liquid purified IgG

Concentration: lot specific

Purification: Affinity chromatography on Protein A

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: interferon gamma

Database Link: Entrez Gene 15978 Mouse

P01580



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Ifng Mouse Monoclonal Antibody [Clone ID: DB1] - SM098P

Background: Interfe

Interferon gamma is mainly produced by T lymphocytes and NK cells. It is a pleiotropic cytokine involved in the regulation of nearly all phases of immune and inflammatory responses, including the activation, growth and differentiation of T cell, B cells, macrophages, NK cells and other cell types such as endothelial cells and fibroblasts. It has weak antiviral and antiproliferative activity, and poteniates the antiviral and anti tumor effects of IFN alpha / beta (type I interferon). It is upregulated by IL2, FGF basic, EGF and downregulated by vitamin D3 or DMN. Labile at pH 2.

Synonyms:

IFN-gamma, gamma IFN