

## **Product datasheet for SM1073B**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD16 (FCGR3A) Mouse Monoclonal Antibody [Clone ID: LNK16]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: LNK16

Applications: FC

Recommended Dilution: Flow Cytometry: Neat-1/5; Use 10µl of the suggested working dilution to label 10e6 cells or

100 µl human whole blood.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Normal human peripheral blood granulocytes. Spleen cells from immunised BALB/c mice

were fused with cells of the mouse X63.653 myeloma cell line.

**Specificity:** This antibody recognises CD16.

Formulation: PBS, pH 7.4 containing 0.09% Sodium Azide as preservative and 1% Bovine Serum Albumin as

stabilizer. Label: Biotin

State: Liquid purfied IgG fraction.

**Concentration:** lot specific

**Purification:** Ion Exchange Chromatography

Conjugation: Biotin

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

Database Link: Entrez Gene 2214 Human

P08637

**Background:** CD16 is a 50-65kD cell surface molecule which exists in two forms - a transmembranous form

expressed by NK cells and some T cells, and a phosphatidylinositol linked form expressed by granulocytes. CD16 is a low affinity receptor for IgG (FcR III), and is an important receptor

mediating ADCC by NK cells.






Synonyms:

FCGR3A, CD16A, FCG3, FCGR3, IGFR3, Fc-gamma RIII-alpha, Fc-gamma RIII, Fc-gamma RIIIa, FcRIII, FcRIIIa, FcR-10, IgG Fc receptor III-2

## **Product images:**



Staining of human peripheral blood granulocytes with Mouse Anti Human CD16-Biotin.