

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SM1074P

CD7 Mouse Monoclonal Antibody [Clone ID: LT7]

Product data:

Product Type:	Primary Antibodies
Clone Name:	LT7
Applications:	FC, IHC, IP
Recommended Dilution:	Flow Cytometry [:] Use 10 μl of 1/50-1/100 diluted antibody to label 1 0 cells in 100 μl. Immunohistochemistry on Frozen Sections. Immunoprecipitation.
Reactivity:	Human
Host:	Mouse
lsotype:	lgG2a
Clonality:	Monoclonal
Immunogen:	Normal Human peripheral blood lymphocytes. Spleen cells from immunised BALB/c mice were fused with cells of the X63.653 mouse myeloma cell line.
Specificity:	This antibody recognizes Human T-cell antigen CD7, also known as TP41 or CD7. Other species not tested.
Formulation:	PBS, pH 7.4 State: Purified State: Liquid purified IgG fraction Preservative: 0.09% Sodium Azide
Concentration:	lot specific
Purification:	Affinity Chromatography on Protein A
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	CD7 molecule
Database Link:	<u>Entrez Gene 924 Human</u> <u>P09564</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


CD7 Mouse Monoclonal Antibody [Clone ID: LT7] - SM1074P

Background:

CD7 is expressed by T cells, NK cells and thymocytes. CD7 is also expressed by tumour cells in some cases of acute myeloid leukaemia.

Synonyms: GP40, TP41, Leu-9


Product images:




Immunoperoxidase staining of a human tonsil cryosection with Mouse anti Human CD7 antibody, clone CT7 followed by Histar Detection system. High power

Immunoperoxidase staining of a human tonsil cryosection with Mouse anti Human CD7 antibody, clone CT7 followed by Histar Detection system. Medium power

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunoperoxidase staining of a human tonsil cryosection with Mouse anti Human CD7 antibody, clone CT7 followed by Histar Detection system. Low power



Staining of Human peripheral blood lymphocytes with Mouse anti Human CD7 antibody, clone CT7.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US