

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for SM1092R

### CD32A (FCGR2A) Mouse Monoclonal Antibody [Clone ID: AT10]

#### **Product data:**


Product Type:	Primary Antibodies
Clone Name:	AT10
Applications:	FC
Recommended Dilution:	<b>Flow cytometry:</b> Use 10μl of neat antibody to label 1 <b>Φ</b> cells or 100 μl whole blood.
Reactivity:	Human
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	K562 cell line. Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Specificity:	This antibody recognizes the Human CD32 antigen. Clone <i>AT10</i> blocks the binding of IgG to Fc gamma R11 (See Larsson, M. et al. for details). SM1092LE is recommended for this purpose.
Formulation:	PBS Label: PE State: Lyophilized purified IgG fraction Stabilizer: 1% BSA, 5% sucrose Preservative: 0.09% Sodium Azide Label: R. Phycoerythrin (RPE)
Reconstitution Method:	SM1092R: Restore with 1.0 ml distilled water. SM1092RT: Restore with 0.25 ml distilled water.
Purification:	Affinity Chromatography on Protein A
Conjugation:	PE
Storage:	Store the antibody undiluted at 2-8°C. <b>DO NOT FREEZE!</b> This product is photosensitive and should be protected from light.
Stability:	Shelf life: one year from despatch.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	CD32A (FCGR2A) Mouse Monoclonal Antibody [Clone ID: AT10] – SM1092R
Gene Name:	Fc fragment of lgG receptor lla
Database Link:	Entrez Gene 2212 Human P12318
Background:	CD32 is a 40kD glycoprotein that acts as a low affinity receptor for IgG (also known as Fc gamma RII). The antigen mediates several functions including endocytosis, activation of secretion, cytotoxicity and immunomodulation.CD32 is expressed by B cells, monocytes, granulocytes and platelets.
Synonyms:	Fc-gamma RII-a, Fc-gamma-RIIa, CDw32, FCGR2A, FCG2, FCGR2A1, IGFR2

## **Product images:**



Staining of human peripheral blood granulocytes with MOUSE ANTI HUMAN CD32:RPE (SM1092R).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US