

## Product datasheet for SM1137PS

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **CD53 Mouse Monoclonal Antibody [Clone ID: MEM-53]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: MEM-53

**Applications:** FC, FN, IHC, IP, WB

**Recommended Dilution:** Immunohistochemistry (frozen sections): It is suitable for discrimination of lymphomas from

other tumors.

Flow cytometry: Recommended dilution: 1-5 µg/ml.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Leukocytes of pacient suffering from a LGL-type leukemia

**Specificity:** The antibody reacts with CD53, a 32-40 kDa tetraspanin family glycoprotein exclusivelly

expressed on leukocytes; it is not present on platelets, red blood cells and non-hematopoietic

cells.

The antibody reacts also with deglycosylated molecule (molecular weight of the antigen is

reduced by 15 kDa using endoglycosidase F).

**Formulation:** Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.4

State: Purified

State: Liquid Ig fraction

**Concentration:** lot specific

**Purification:** Protein-A affinity chromatography; purity: > 95% (by SDS-PAGE)

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C.

DO NOT FREEZE!

**Stability:** Shelf life: one year from despatch.

Gene Name: CD53 molecule

**Database Link:** Entrez Gene 963 Human

P19397





#### CD53 Mouse Monoclonal Antibody [Clone ID: MEM-53] - SM1137PS

Background:

CD53 is a tetraspanin family transmembrane glycoprotein expressed in the lymphoid-myeloid lineage. This molecule has been reported to form complexes with other leukocyte surface proteins such as CD2, CD19, CD21, MHC II, VLA-4 or tetraspanins CD37, CD81 and CD82, thus probably modulating various signaling processes. CD53 is involved in radioresistancy of tumour cells and its triggering has anti-apoptotic effect. In thymus, CD53 is up-regulated in response to positive selection signals during T cell development, and is strongly expressed upon macrophage exposure to bacterial lipopolysaccharide, whereas stimulation of neutrophils results in down-regulation of CD53 expression.

Synonyms:

Cell surface glycoprotein CD53, Tetraspanin-25, MOX44, TSPAN25