

## Product datasheet for SM1137R

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **CD53 Mouse Monoclonal Antibody [Clone ID: MEM-53]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: MEM-53

Applications: FC

Recommended Dilution: Flow Cytometry analysis of human blood cells using 20 μl reagent / 100 μl of whole blood

or 106 cells in a suspension.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Leukocytes of pacient suffering from a LGL-type leukemia

Specificity: This antibody reacts with CD53, a 32-40 kDa tetraspanin family glycoprotein exclusivelly

expressed on leukocytes; it is not present on platelets, red blood cells and non-hematopoietic cells. It reacts also with deglycosylated molecule (molecular weight of the antigen is reduced

by 15 kDa using endoglycosidase F).

**Formulation:** Phosphate buffered saline (PBS) containing 15 mM sodium azide

Label: PE

State: Liquid Ig fraction

Label: Conjugated with R-Phycoerythrin (PE) under optimum conditions

**Purification:** Size-exclusion chromatography

Conjugation: PE

Storage: Store the antibody at 2 - 8 °C. DO NOT FREEZE! This product is photosensitive and should be

protected from light.

**Stability:** Shelf life: one year from despatch.

Gene Name: CD53 molecule

Database Link: Entrez Gene 963 Human

P19397






#### Background:

CD53 is a tetraspanin family transmembrane glycoprotein expressed in the lymphoid-myeloid lineage. This molecule has been reported to form complexes with other leukocyte surface proteins such as CD2, CD19, CD21, MHC II, VLA-4 or tetraspanins CD37, CD81 and CD82, thus probably modulating various signaling processes. CD53 is involved in radioresistancy of tumour cells and its triggering has anti-apoptotic effect. In thymus, CD53 is up-regulated in response to positive selection signals during T cell development, and is strongly expressed upon macrophage exposure to bacterial lipopolysaccharide, whereas stimulation of neutrophils results in down-regulation of CD53 expression.

Synonyms:

Cell surface glycoprotein CD53, Tetraspanin-25, MOX44, TSPAN25

## **Product images:**



Surface staining of CD53 in human peripheral blood cells with anti-CD53 (MEM-53) PE.