

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SM1450S

Myelin Basic Protein (MBP) (67-74) Mouse Monoclonal Antibody [Clone ID: 26]

Product data:

Product Type:	Primary Antibodies
Clone Name:	26
Applications:	IHC, WB
Recommended Dilution:	Immunohistochemistry on frozen sections.
Reactivity:	Human, Mammalian
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Human myelin basic protein. Spleen cells from immunised mice were fused with cells of the mouse SP2/0 myeloma cell line.
Specificity:	This antibody recognises an epitope of myelin basic protein between amino acids 67-74. This antibody has been reported to recognise MBP in Western blotting applications. Reacts with MBP from most species.
Formulation:	State: Supernatant State: Liquid Tissue Culture Supernatant containing 0.09% Sodium Azide
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	myelin basic protein
Database Link:	<u>Entrez Gene 4155 Human</u> <u>P02686</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Myelin Basic Protein (MBP) (67-74) Mouse Monoclonal Antibody [Clone ID: 26] – SM1450S
Background:	The classic group of Myelin basic protein (MBP) isoforms (isoforms 4 to 14) are with PLP the most abundant protein components of the myelin membrane in the CNS. They have a role in both its formation and stabilization. The smaller isoforms might have an important role in remyelination of denuded axons in multiple sclerosis. The non classic group of MBP isoforms (isoforms 1 to 3/Golli MBPs) may preferentially have a role in the early developing brain long before myelination, maybe as components of transcriptional complexes, and may also be involved in signaling pathways in T cells and neural cells. Differential splicing events combined to optional posttranslational modifications give a wide spectrum of isomers, each of them having maybe a specialized function.
Synonyms:	MBP

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US