

Product datasheet for **SM1769F**

CD36 Mouse Monoclonal Antibody [Clone ID: SM0]

Product data:

Product Type:	Primary Antibodies
Clone Name:	SM0
Applications:	FC
Recommended Dilution:	Flow Cytometry: Use 10 µl of Neat-1/5 diluted antibody to label 10e6 cells in 100 µl.
Reactivity:	Human
Host:	Mouse
Isotype:	IgM
Clonality:	Monoclonal
Immunogen:	Human tonsil cells and peripheral blood mononuclear cells. Spleen cells from immunised mice were fused with cells of the NSI mouse myeloma line.
Specificity:	This antibody recognises the CD36 antigen. This antibody partially inhibits collagen induced platelet aggregation and macrophage ingestion of apoptotic neutrophils. This clone is also reported to block interaction of oxidised low-density lipoprotein (OXLDL) with CD36. We recommend the use of SM1769A for this purpose.
Formulation:	PBS, pH 7.4 containing 0.09% Sodium Azide as preservative and 1% BSA as stabilizer. Label: FITC State: Liquid purified IgM fraction Label: Fluorescein Isothiocyanate Isomer 1
Concentration:	lot specific
Purification:	Ammonium Sulphate Precipitation.
Conjugation:	FITC
Storage:	Store the antibody undiluted at 2-8°C. DO NOT FREEZE! This product is photosensitive and should be protected from light.
Stability:	Shelf life: one year from despatch.
Gene Name:	CD36 molecule




[View online »](#)

Database Link: [Entrez Gene 948 Human P16671](#)

Background: CD36 is an 88kD cell surface glycoprotein expressed by platelets and monocytes/macrophages and also by some microvascular endothelium and erythroid precursors. CD36 is the receptor for thrombospondin. When expressed by monocytes and macrophages, CD36 acts as a receptor for oxidized LDL and for apoptotic polymorphonuclear cells.

Synonyms: Glycoprotein IIIb, PAS IV, PAS-4, Thrombospondin receptor, GP3B, GP4

Product images:



Staining of human peripheral blood lymphocytes with Mouse Anti Human CD36-FITC.