

Product datasheet for SM1797F

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD45 (PTPRC) (CD45RB) Mouse Monoclonal Antibody [Clone ID: MEM-55]

Product data:

Product Type: Primary Antibodies

Clone Name: MEM-55

Applications: FC

Recommended Dilution: Flow Cytometry analysis of human blood cells using 20 μl reagent / 100 μl of whole blood or

10e6 cells in a suspension.

Reactivity: Human, Primate

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human thymocytes and T lymphocytes

Specificity: The antibody MEM-55 recognizes a siliadase-sensitive epitope of CD45RB, a 180-240 kDa

single chain type I membrane glycoprotein, variant of CD45 (CD45RB isoform). CD45RB is expressed on a subset of T lymphocytes, B lymphocytes, monocytes, macrophages,

granulocytes and dendritic cells.

Formulation: Phosphate buffered saline (PBS) containing 15 mM sodium azide and 0.2% (w/v) high-grade

protease free Bovine Serum Albumin (BSA) as a stabilizing agent.

Label: FITC

State: Liquid purified Ig fraction

Label: Conjugated with Fluorescein isothiocyanate under optimum conditions. The reagent is

free of unconjugated and adjusted for direct use

Conjugation: FITC

Storage: Store the antibody at 2 - 8 °C. DO NOT FREEZE! This product is photosensitive and should be

protected from light.

Stability: Shelf life: one year from despatch.

Gene Name: protein tyrosine phosphatase, receptor type C

Database Link: Entrez Gene 5788 Human

P08575





CD45 (PTPRC) (CD45RB) Mouse Monoclonal Antibody [Clone ID: MEM-55] – SM1797F

Background:

CD45RB is an of a receptor-type protein tyrosine phosphatase, CD45 glycoprotein. CD45 is crucial in lymphocyte development and antigen signaling, serving as an important regulator of Src-family kinases, promotes cell survival by modulating integrin-mediated signal transduction pathway and is also involved in DNA fragmentation during apoptosis. CD45 isoforms differ in their extracellular domains, whereas they share identical transmembrane and cytoplasmic domains. These isoforms differ in their ability to translocate into the glycosphingolipid-enriched membrane domains and their expression depends on cell type and physiological state of the cell. CD45RB is expressed e.g. in microglia and inflammatory cells.

Synonyms:

PTPRC, Leukocyte common antigen, L-CA, T200