

## **Product datasheet for SM2025F**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Clec7a Rat Monoclonal Antibody [Clone ID: 2A11]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: 2A11
Applications: FC

Recommended Dilution: Flow Cytometry: Neat - 1/10; Use 10µl of the suggested working dilution to label 10e6 cells in

100µl.

Reactivity: Mouse

**Host:** Rat

**Isotype:** IgG2b

Clonality: Monoclonal

Immunogen: Dectin-1 transfected NIH3T3 cells and recombinant soluble Dectin-1. Spleen cells from

immunised Fischer rats were fused with cells of the rat Y3 myeloma cell line.

**Specificity:** This antibody recognises beta-glucan receptor, also known as Dectin-1. This antibody inhibits

the binding of zymosan to macrophages via the beta-glucan receptor. The low endotoxin

version (SM2025LE) is recommended for functional studies.

**Formulation:** PBS, pH 7.4 containing 0.09% Sodium Azide and 1% Bovine Serum Albumin

Label: FITC

State: Liquid purified IgG

Label: Fluorescein Isothiocyanate Isomer 1

**Concentration:** lot specific

**Purification:** Affinity chromatography on Protein G

Conjugation: FITC

**Storage:** Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

This product is photosensitive and should be protected from light.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** C-type lectin domain family 7, member a

Database Link: Entrez Gene 56644 Mouse

Q6QLQ4






Background:

Dectin-1 is predominantly expressed by cells of the monocyte/macrophage and neutrophil lineages, but also at lower levels by dendritic cells and a subpopulation of T cells. As a major leucocyte receptor for beta-glucan this molecule may have a key role in the immunomodulatory effects of beta-glucans and in the host response to fungal pathogens. Recent work has shown that Dectin-1 may stimulate reactive oxygen production in macropahges via the protein tyrosine kinase known as Syk.

Synonyms:

Beta-glucan receptor, BGR, CLECSF12, DECTIN1

## **Product images:**



Staining of mouse peripheral blood granulocytes with RAT ANTI MOUSE BETA GLUCAN RECEPTOR:FITC.