

Product datasheet for SM2093P

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD16/CD32 Rat Monoclonal Antibody [Clone ID: FCR 4G8]

Product data:

Product Type: Primary Antibodies

Clone Name: FCR 4G8

Applications: FC

Recommended Dilution: Flow Cytometry: 1/25 - 1/50; Use 10µl of the suggested working dilution to label 10e6 cells in

100µl.

Reactivity: Mouse

Host: Rat

Isotype: IgG2b

Clonality: Monoclonal

Immunogen: PU5 1.8 IOE7 Balb/c mouse cell line. Cells from immunised rats were fused with cells of the

mouse P3X63-Ag8.653 myeloma cell line.

Specificity: This antibody recognises an epitope expressed by the low affinity Fc receptors, Fc gamma III

(CD16) and Fc gamma II (CD32).

Formulation: PBS, pH7.4 containing 0.09% Sodium Azide

State: Purified

State: Liquid purified IgG

Concentration: lot specific

Purification: Affinity chromatography on Protein G

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Background: In the mouse only the transmembrane form of CD16 is reported to exist, which is expressed

on macrophages, NK cells, granulocytes, myeloid precursors, and subpopulations of T

lymphocytes. CD32 is primarily expressed on cells of the myeloid lineage and also on mature

B lymphocytes.





CD16/CD32 Rat Monoclonal Antibody [Clone ID: FCR 4G8] - SM2093P

Synonyms:

IgG Fc receptor III-2, Fc-gamma RIII-alpha, Fc-gamma RIIIa, FcRIIIa, Fc-gamma RIII, FcRIII, CD16a, FcR mouse Seroblock, FCGR3A, FCG3, IGFR3, Fc gamma receptor IIB, Fc-gamma-RIIB, FcRII, Ly-17, Fcgr2