

Product datasheet for SM2095RT

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cd200r1 Rat Monoclonal Antibody [Clone ID: OX-110]

Product data:

Product Type: Primary Antibodies

Clone Name: OX-110

Applications: FC

Recommended Dilution: Flow Cytometry: Use 10 μl of neat antibody to label 16 cells in 100 μl.

The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low

affinity fc receptors. This may be reduced by appropriate blocking.

Clone OX-110 has been used successfully for the **immunohistochemical** detection of

CD200R expressing cells on acetone fixed cryosections of murine synovial tissue (Simelyte et

al. 2008).

Reactivity: Mouse

Host: Rat

Isotype: lgG2a

Clonality: Monoclonal

Immunogen: Fusion protein mCD200RCD4d3+4. Specificity: This antibody recognises CD200R.

Formulation: PBS containing 0.09% Sodium Azide, 5% Sucrose and 1% Bovine Serum Albumin

Label: PE

State: Lyophilized purified IgG fraction.

Label: R. Phycoerythrin (RPE)

Fluorophore Excitation (nm) Emission (nm)

PE 488nm laser 496 578 PE 561nm laser 546 578

Reconstitution Method: Restore with 1 ml distilled water

Concentration: lot specific

Purification: Affinity Chromatography on Protein G.

Conjugation: PE

Storage: Store the antibody undiluted at 2-8°C.

DO NOT FREEZE!

This product is photosensitive and should be protected from light.





Cd200r1 Rat Monoclonal Antibody [Clone ID: OX-110] - SM2095RT

Stability: Shelf life: one year from despatch.

Gene Name: CD200 receptor 1

Database Link: Entrez Gene 57781 Mouse

Q9ES57

Background: CD200R is a cell surface glycoprotein (also known as OX2R). Mouse CD200R is a 326 amino


acid, ~48 kDa single pass type I transmembrane glycoprotein, expressed primarily by peripheral blood monocytes and neutrophils but also by other leucocytes including T-lymphocytes and mast cells (Wright *et al.* 2003). Studies suggest that CD200-CD200R

interaction may be involved in the control of myeloid cellular function (Minas and Liversidge

2006).

Synonyms: CD200R1, CRTR2, MOX2R, OX2R, CD200 Receptor 1

Product images:



Staining of mouse peripheral blood granulocytes with RAT ANTI MOUSE CD200R: RPE.