

# **Product datasheet for SM256**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Cd4 (Domain 2) Mouse Monoclonal Antibody [Clone ID: OX-35]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OX-35

**Applications:** FC, IHC, IP

Recommended Dilution: Flow cytometry: 1/10 - 1/50; Use 10µl of the suggested working dilution to label 10e6 cells in

100µl.

Immunohistochemistry on frozen sections.

Immunoprecipitation.

Reactivity: Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: MLR generated rat T helper lymphocytes. Spleen cells from immunised BALB/c mice were

fused with cells of the mouse NS1 myeloma cell line

**Specificity:** This antibody recognises the CD4 cell surface antigen, a 55kD glycoprotein expressed by

helper T cells and weakly by monocytes.

**Formulation:** PBS, pH7.4 containing 0.09% Sodium Azide

State: Purified

State: Liquid purified IgG

**Concentration:** lot specific

**Purification:** Affinity chromatography on Protein G

**Conjugation:** Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** Cd4 molecule

Database Link: Entrez Gene 24932 Rat

P05540





#### Cd4 (Domain 2) Mouse Monoclonal Antibody [Clone ID: OX-35] - SM256

Background: CD4 is a single chain transmembraneous glycoprotein (59 kDa) which belongs to the

immunoglobulin superfamily. CD4 is present on a subset of T lymphocytes ("helper/inducer" T cells) and is also expressed at a lower level on monocytes, tissue macrophages and granulocytes. The antigen is involved in binding to MHC class II molecules. The intracellular

domain of the antigen is associated with p56lck protein tyrosine kinase.

**Synonyms:** T-cell surface antigen T4/Leu-3