

Product datasheet for SM3025APC

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD45 (PTPRC) Mouse Monoclonal Antibody [Clone ID: MEM-28]

Product data:

Product Type: Primary Antibodies

Clone Name: MEM-28

Applications: FC

Recommended Dilution: Flow Cytometry analysis of human blood cells using 10 µl reagent / 100 ml of whole blood

or 106 cells in a suspension.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human thymocytes and T lymphocytes

Specificity: The antibody MEM-28 reacts with all alternative forms of human CD45 antigen (Leukocyte

Common Antigen), a 180-220 kDa single chain type I transmembrane protein expressed at

high level on all cells of hematopoietic origin, except erythrocytes and platelets.

Formulation: Phosphate buffered saline (PBS) solution containing 15mM sodium azide

Label: APC

State: Liquid purified Ig fraction

Label: Conjugated with cross-linked Allophycocyanin (APC) under optimum conditions. The

conjugate is purified by size-exclusion chromatography and adjusted for direct use.

Conjugation: APC

Storage: Store the antibody at 2 - 8 °C. DO NOT FREEZE! This product is photosensitive and should be

protected from light.

Stability: Shelf life: one year from despatch.

Gene Name: protein tyrosine phosphatase, receptor type C

Database Link: Entrez Gene 5788 Human

P08575






Background:

CD45 (LCA, leukocyte common antigen) is a receptor-type protein tyrosine phosphatase ubiquitously expressed in all nucleated hematopoietic cells, comprising approximately 10% of all surface proteins in lymphocytes. CD45 glycoprotein is crucial in lymphocyte development and antigen signaling, serving as an important regulator of Src-family kinases. CD45 protein exists as multiple isoforms as a result of alternative splicing; these isoforms differ in their extracellular domains, whereas they share identical transmembrane and cytoplasmic domains. These isoforms differ in their ability to translocate into the glycosphingolipid-enriched membrane domains and their expression depends on cell type and physiological state of the cell. Besides the role in immunoreceptor signaling, CD45 is important in promoting cell survival by modulating integrin-mediated signal transduction pathway and is also involved in DNA fragmentation during apoptosis.

Synonyms:

PTPRC, Leukocyte common antigen, L-CA, T200

Product images:



Surface staining of human peripheral blood cells with anti-human CD45 (MEM-28) APC.