

Product datasheet for **SM3030B**

CD55 / DAF Mouse Monoclonal Antibody [Clone ID: MEM-118]

Product data:

Product Type:	Primary Antibodies
Clone Name:	MEM-118
Applications:	FC
Recommended Dilution:	Immunofluorescence analysis by Flow Cytometry: 1/500 as a starting point.
Reactivity:	Human, Primate
Host:	Mouse
Isotype:	IgM
Clonality:	Monoclonal
Immunogen:	HPB-ALL human T cell line
Specificity:	The antibody recognizes an epitope in SCR4 domain of CD55 (Decay accelerating factor, DAF), a 60-70 kDa glycosylphosphatidylinositol (GPI)-anchored single chain glycoprotein. CD55 is widely expressed on hematopoietic and on many non-hematopoietic cells; it is weakly present on NK cells.
Formulation:	Tris buffered saline (TBS) with 15 mM sodium azide, approx. pH 8.0 Label: Biotin State: Liquid purified Ig fraction Label: Conjugated with Biotin-LC-NHS under optimum conditions.
Concentration:	lot specific
Conjugation:	Biotin
Storage:	Store the antibody undiluted at 2 - 8 °C. DO NOT FREEZE!
Stability:	Shelf life: one year from despatch.
Gene Name:	CD55 molecule (Cromer blood group)
Database Link:	Entrez Gene 1604 Human P08174




[View online »](#)

Background:

CD55 (decay-accelerating factor, DAF) is a GPI-anchored membrane glycoprotein that protects autologous cells from classical and alternative pathway of complement cascade. Bidirectional interactions between CD55 and CD97 are involved in T cell regulation and CD55 can still regulate complement when bound to CD97. In tumours, besides protection against complement, CD55 promotes neoangiogenesis, tumorigenesis, invasiveness and evasion of apoptosis.

Synonyms:

CR; CROM; DAF; TC

Product images:

Surface staining of human peripheral blood cells with anti-CD55 (MEM-118) biotin / streptavidin-APC.