

Product datasheet for SM464PS

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD31 / PECAM1 Mouse Monoclonal Antibody [Clone ID: CO.3E1D4]

Product data:

Product Type: Primary Antibodies

Clone Name: CO.3E1D4

Applications: FC, IP

Recommended Dilution: Immunoprecipitation.

Flow Cytometry: Use 10 μ l of 1/10-1/25 diluted antibody to label 1 x 16 cells in 100 μ l.

Reactivity: Bovine, Goat, Sheep

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Ovine leucocytes. Spleen cells from immunised BALB/c mice were fused with cells of the SP2-

0/Ag14 mouse myeloma cell line.

Specificity: This antibody is specific for CD31, also known as PECAM-1.

Clone CO.3E1D4 is reported to inhibit homotypic leucocyte aggregation induced by anti CD43 antibodies (2). Removal of Sodium Azide is recommended prior to use in **Fuctional Assays**.

Formulation: PBS

State: Purified

State: Liquid purified IgG fraction Preservative: 0.09% Sodium Azide

Concentration: lot specific

Purification: Affinity Chromatography on Protein G

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Database Link: P51866



Background:


CD31, also known as platelet endothelial cell adhesion molecule 1 (PECAM1), is a type I integral membrane glycoprotein and a member of the immunoglobulin superfamily of cell surface receptors. It is constitutively expressed on the surface of endothelial cells, and concentrated at the junction between them. It is also weakly expressed on many peripheral lymphoid cells and platelets.

CD31 has been used to measure angiogenesis in association with tumor recurrence. Other studies have also indicated that CD31 and CD34 can be used as markers for myeloid progenitor cells and recognize different subsets of myeloid leukemia infiltrates (granular sarcomas).

Ovine CD31 is predominantly expressed by peripheral blood platelets and a small percentage of lymphocytes. CD31 is also highly expressed by ovine endothelial cells.

Synonyms: PECAM-1, EndoCAM, GPIIA'

Product images:



Staining of sheep peripheral blood platelets with Mouse anti Ovine CD31 Antibody Cat.-NoSM464PS (CloneCO.3E1D4)