

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SR301557

FDFT1 Human siRNA Oligo Duplex (Locus ID 2222)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 001287742, NM 001287743, NM 001287744, NM 001287745, NM 001287747, NM 001287747, NM 001287748, NM 001287749, NM 001287750, NM 001287751, NM 001287756, NM 004462</u>
UniProt ID:	<u>P37268</u>
Synonyms:	DGPT; ERG9; SQS; SQSD; SS
Components:	FDFT1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 2222) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a membrane-associated enzyme located at a branch point in the mevalonate pathway. The encoded protein is the first specific enzyme in cholesterol biosynthesis, catalyzing the dimerization of two molecules of farnesyl diphosphate in a two-step reaction to form squalene. [provided by RefSeq, Jul 2008]



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENEFDFT1 Human siRNA Oligo Duplex (Locus ID 2222) - SR301557Performance
Guaranteed:OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will
provide at least 70% or more knockdown of the target mRNA when used at 10 nM
concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control
duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT
positive control (cat# SR30003) provides 90% knockdown efficiency.For non-conforming siRNA, requests for replacement product must be made within ninety
(90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with
newly designed duplexes, please contact Technical Services at techsupport@origene.com.
Please provide your data indicating the transfection efficiency and measurement of gene
expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data

required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US