

Product datasheet for SR305596

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

D aspartate oxidase (DDO) Human siRNA Oligo Duplex (Locus ID 8528)

Product data:

Product Type: siRNA Oligo Duplexes

HPLC purified **Purity:**

Quality Control: Tested by ESI-MS

Available with shipment Sequences:

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

RefSeq: NM 003649, NM 004032, NM 001368170, NM 001368173, NM 001368174, NM 001368171,

NM 001368172, NM 001368175, NR 160546

UniProt ID: Q99489

DASOX; DDO-1; DDO-2 Synonyms:

Components: DDO (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 8528)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: The protein encoded by this gene is a peroxisomal flavoprotein that catalyzes the oxidative

> deamination of D-aspartate and N-methyl D-aspartate. Flavin adenine dinucleotide or 6hydroxyflavin adenine dinucleotide can serve as the cofactor in this reaction. Several transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeg, Jan 2019]







Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).