

# Product datasheet for SR306577

## ARMCX2 Human siRNA Oligo Duplex (Locus ID 9823)

## **Product data:**

#### **Product Type:** siRNA Oligo Duplexes HPLC purified **Purity: Quality Control:** Tested by ESI-MS Available with shipment Sequences: Stability: One year from date of shipment when stored at -20°C. *#* of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM). Note: Single siRNA duplex (10nmol) can be ordered. **RefSeq:** NM 001282231, NM 014782, NM 177949 **UniProt ID:** Q7L311 Synonyms: ALEX2; GASP9 **Components:** ARMCX2 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 9823) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml This gene encodes a protein containing a potential N-terminal transmembrane domain and Summary: multiple armadillo (arm) repeats. Proteins containing arm repeats are involved in development, maintenance of tissue integrity, and tumorigenesis. This gene is located in a cluster of related genes on chromosome X. There is a pseudogene for this gene on chromosome 7. Alternative splicing in the 5' UTR results in multiple transcript variants encoding the same protein. [provided by RefSeq, Aug 2013]

View online 🤉

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	ARMCX2 Human siRNA Oligo Duplex (Locus ID 9823) – SR306577
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.
	For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US