

Product datasheet for **SR307193**

SIVA (SIVA1) Human siRNA Oligo Duplex (Locus ID 10572)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_006427 , NM_021709
UniProt ID:	O15304
Synonyms:	CD27BP; SIVA; Siva-1; Siva-2
Components:	SIVA1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 10572) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes an E3 ubiquitin ligase that regulates cell cycle progression, cell proliferation and apoptosis. The N-terminus of this protein binds to the cytoplasmic tail of the CD27 antigen, a member of the tumor necrosis factor receptor (TNFR) superfamily. In response to UV radiation-induced DNA damage, this protein has been shown to mediate the ubiquitination of proliferating cell nuclear antigen (PCNA), an important step in translesion DNA synthesis. [provided by RefSeq, Sep 2018]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).