

## Product datasheet for **SR307215**

### **AHA1 (AHSA1) Human siRNA Oligo Duplex (Locus ID 10598)**

#### **Product data:**

|                            |  |
|----------------------------|--|
| <b>Product Type:</b>       | siRNA Oligo Duplexes   |
| <b>Purity:</b>             | HPLC purified  |
| <b>Quality Control:</b>    | Tested by ESI-MS   |
| <b>Sequences:</b>          | Available with shipment  |
| <b>Stability:</b>          | One year from date of shipment when stored at -20°C.   |
| <b># of transfections:</b> | Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).   |
| <b>Note:</b>               | Single siRNA duplex (10nmol) can be ordered.   |
| <b>RefSeq:</b>             | <a href="#">NM_012111</a> , <a href="#">NM_001321441</a>   |
| <b>UniProt ID:</b>         | <a href="#">O95433</a>   |
| <b>Synonyms:</b>           | AHA1; C14orf3; hAha1; p38  |
| <b>Components:</b>         | AHSA1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 10598)<br>Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol<br>Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml  |
| <b>Summary:</b>            | Acts as a co-chaperone of HSP90AA1 (PubMed:29127155). Activates the ATPase activity of HSP90AA1 leading to increase in its chaperone activity (PubMed:29127155). Competes with the inhibitory co-chaperone FNIP1 for binding to HSP90AA1, thereby providing a reciprocal regulatory mechanism for chaperoning of client proteins (PubMed:27353360). Competes with the inhibitory co-chaperone TSC1 for binding to HSP90AA1, thereby providing a reciprocal regulatory mechanism for chaperoning of client proteins (PubMed:29127155).<br>[UniProtKB/Swiss-Prot Function] |



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).