

# Product datasheet for SR307693

# AKAP10 Human siRNA Oligo Duplex (Locus ID 11216)

## **Product data:**

### **Product Type:** siRNA Oligo Duplexes HPLC purified **Purity: Quality Control:** Tested by ESI-MS Available with shipment Sequences: Stability: One year from date of shipment when stored at -20°C. *#* of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM). Note: Single siRNA duplex (10nmol) can be ordered. **RefSeq:** NM 007202, NM 001330152 **UniProt ID:** 043572 Synonyms: AKAP-10; D-AKAP-2; D-AKAP2; PRKA10 **Components:** AKAP10 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 11216) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml This gene encodes a member of the A-kinase anchor protein family. A-kinase anchor proteins Summary: bind to the regulatory subunits of protein kinase A (PKA) and confine the holoenzyme to discrete locations within the cell. The encoded protein is localized to mitochondria and interacts with both the type I and type II regulatory subunits of PKA. Polymorphisms in this gene may be associated with increased risk of arrhythmias and sudden cardiac death. [provided by RefSeq, May 2012]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **CRICENE**AKAP10 Human siRNA Oligo Duplex (Locus ID 11216) - SR307693**Performance**<br/>Guaranteed:OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will<br/>provide at least 70% or more knockdown of the target mRNA when used at 10 nM<br/>concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control<br/>duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT<br/>positive control (cat# SR30003) provides 90% knockdown efficiency.For non-conforming siRNA, requests for replacement product must be made within ninety<br/>(90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with<br/>newly designed duplexes, please contact Technical Services at techsupport@origene.com.<br/>Please provide your data indicating the transfection efficiency and measurement of gene<br/>expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data<br/>required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US