

Product datasheet for **SR307830**

SLITRK3 Human siRNA Oligo Duplex (Locus ID 22865)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_001318810 , NM_001318811 , NM_014926
UniProt ID:	O94933
Components:	SLITRK3 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 22865) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a member of the Slitrk family of structurally related transmembrane proteins that are involved in controlling neurite outgrowth. The encoded protein contains two leucine-rich repeat (LRR) domains and a C-terminal domain that is partially similar to Trk neurotrophin receptor protein. Enhanced expression of this gene was found in tissue from several different types of tumors. Alternative splicing results in multiple transcript variants, all encoding the same protein. [provided by RefSeq, Jan 2016]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).