

Product datasheet for **SR308195**

SZT2 Human siRNA Oligo Duplex (Locus ID 23334)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_015284 , NM_024547 , NM_001365999
UniProt ID:	Q5T011
Synonyms:	C1orf84; DEE18; EIEE18; KIAA0467; KICS1; SZT2A; SZT2B
Components:	SZT2 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 23334) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	The protein encoded by this gene is expressed in the brain, predominantly in the parietal and frontal cortex as well as in dorsal root ganglia. It is localized to the peroxisome, and is implicated in resistance to oxidative stress. It likely functions by increasing superoxide dismutase (SOD) activity, but itself has no direct SOD activity. Studies in mice show that this gene confers low seizure threshold, and may also enhance epileptogenesis. [provided by RefSeq, Jun 2011]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).