

Product datasheet for **SR309494**

WDPCP Human siRNA Oligo Duplex (Locus ID 51057)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_001042692 , NM_015910 , NR_122106 , NM_001354044 , NM_001354045 , NR_148704 , NR_148705
UniProt ID:	O95876
Synonyms:	BBS15; C2orf86; CHDTHP; CPLANE5; FRITZ; FRTZ
Components:	WDPCP (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 51057) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a cytoplasmic WD40 repeat protein. A similar gene in frogs encodes a planar cell polarity protein that plays a critical role in collective cell movement and ciliogenesis by mediating septin localization. Mutations in this gene are associated with Bardet-Biedl syndrome 15 and may also play a role in Meckel-Gruber syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2014]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).