

## Product datasheet for **SR309529**

### TRNT1 Human siRNA Oligo Duplex (Locus ID 51095)

#### Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<a href="#">NM_001302946</a> , <a href="#">NM_016000</a> , <a href="#">NM_182916</a> , <a href="#">NM_001367321</a> , <a href="#">NM_001367323</a> , <a href="#">NR_159934</a> , <a href="#">NR_159937</a> , <a href="#">NR_159938</a> , <a href="#">NR_159939</a> , <a href="#">NR_159940</a> , <a href="#">NR_159943</a> , <a href="#">NM_001367322</a> , <a href="#">NR_159935</a> , <a href="#">NR_159936</a> , <a href="#">NR_159941</a> , <a href="#">NR_159942</a> , <a href="#">NR_159944</a>
UniProt ID:	<a href="#">Q96Q11</a>
Synonyms:	CCA1; CGI-47; MtCCA; RPEM; SIFD
Components:	TRNT1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 51095) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	The protein encoded by this gene is a CCA-adding enzyme which belongs to the tRNA nucleotidyltransferase/poly(A) polymerase family. This essential enzyme functions by catalyzing the addition of the conserved nucleotide triplet CCA to the 3' terminus of tRNA molecules. Mutations in this gene result in sideroblastic anemia with B-cell immunodeficiency, periodic fevers, and developmental delay. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2014]



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).