

## **Product datasheet for SR310104**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **DGCR8 Human siRNA Oligo Duplex (Locus ID 54487)**

#### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

**Quality Control:** Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

RefSeq: <u>NM 001190326</u>, <u>NM 022720</u>

UniProt ID: Q8WYQ5

**Synonyms:** C22orf12; DGCRK6; Gy1; pasha

Components: DGCR8 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 54487)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** This gene encodes a subunit of the microprocessor complex which mediates the biogenesis

of microRNAs from the primary microRNA transcript. The encoded protein is a double-

stranded RNA binding protein that functions as the non-catalytic subunit of the

microprocessor complex. This protein is required for binding the double-stranded RNA

substrate and facilitates cleavage of the RNA by the ribonuclease III protein, Drosha. Alternate

splicing results in multiple transcript variants. [provided by RefSeq, Jun 2010]



#### DGCR8 Human siRNA Oligo Duplex (Locus ID 54487) - SR310104

# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).