

# Product datasheet for SR310146

## RNF186 Human siRNA Oligo Duplex (Locus ID 54546)

### **Product data:**

#### **Product Type:** siRNA Oligo Duplexes HPLC purified **Purity: Quality Control:** Tested by ESI-MS Available with shipment Sequences: Stability: One year from date of shipment when stored at -20°C. *#* of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM). Note: Single siRNA duplex (10nmol) can be ordered. **RefSeq:** NM 019062 **UniProt ID: O9NXI6 Components:** RNF186 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 54546) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml Summary: E3 ubiquitin protein ligase that is part of an apoptotic signaling pathway activated by endoplasmic reticulum stress (PubMed:23896122). In that process, stimulates the expression of proteins specific of the unfolded protein response (UPR), ubiquitinates BNIP1 and regulates its localization to the mitochondrion and induces calcium release from the endoplasmic reticulum that ultimately leads to cell apoptosis (PubMed:23896122). [UniProtKB/Swiss-Prot Function]

#### OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

|                            | RNF186 Human siRNA Oligo Duplex (Locus ID 54546) – SR310146  |
|----------------------------|--|
| Performance<br>Guaranteed: | OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will<br>provide at least 70% or more knockdown of the target mRNA when used at 10 nM<br>concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control<br>duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT<br>positive control (cat# SR30003) provides 90% knockdown efficiency.  |
|                            | For non-conforming siRNA, requests for replacement product must be made within ninety<br>(90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with<br>newly designed duplexes, please contact Technical Services at techsupport@origene.com.<br>Please provide your data indicating the transfection efficiency and measurement of gene<br>expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data<br>required). |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US