

Product datasheet for **SR310249**

Dymeclin (DYM) Human siRNA Oligo Duplex (Locus ID 54808)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_017653 , NM_001353210 , NM_001353211 , NM_001353212 , NM_001353213 , NM_001353214 , NM_001353215 , NM_001353216
UniProt ID:	Q7RTS9
Synonyms:	DMC; SMC
Components:	DYM (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 54808) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a protein which regulates Golgi-associated secretory pathways that are essential to endochondral bone formation during early development. This gene is also believed to play a role in early brain development. This gene is widely expressed in embryos and is particularly abundant in chondrocytes and brain tissues. It encodes a peripheral membrane protein which shuttles between the cytosol and Golgi complex. Mutations in this gene are associated with two types of recessive osteochondrodysplasia: Dyggve-Melchior-Clausen (DMC) dysplasia and Smith-McCort (SMC) dysplasia. [provided by RefSeq, Jun 2017]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).