

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for SR310760

## ENOSF1 Human siRNA Oligo Duplex (Locus ID 55556)

## **Product data:**

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 001126123, NM 001318759, NM 001318760, NM 017512, NM 202758, NM 001354065, NM 001354066, NM 001354067, NM 001354068, NR 148706, NR 148707, NR 148708, NR 148709, NR 148710, NR 148711, NR 148712</u>
UniProt ID:	<u>Q7L5Y1</u>
Synonyms:	RTS; TYMSAS
Components:	ENOSF1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 55556) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene can encode a mitochondrial enzyme that is thought to convert L-fuconate to 2- keto-3-deoxy-L-fuconate. This locus was originally identified as the source of antisense RNAs of the adjacent thymidylate synthase gene. Splice variants at this locus may contain an alternate 3' exon that is complementary to the 3'UTR and terminal intron of the thymidylate synthase (TS) RNA and may downregulate TS expression. [provided by RefSeq, Aug 2017]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **CRICENE**ENOSF1 Human siRNA Oligo Duplex (Locus ID 55556) - SR310760Performance<br/>Guaranteed:OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will<br/>provide at least 70% or more knockdown of the target mRNA when used at 10 nM<br/>concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control<br/>duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT<br/>positive control (cat# SR30003) provides 90% knockdown efficiency.For non-conforming siRNA, requests for replacement product must be made within ninety<br/>(90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with<br/>newly designed duplexes, please contact Technical Services at techsupport@origene.com.<br/>Please provide your data indicating the transfection efficiency and measurement of gene<br/>expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data<br/>required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US