

Product datasheet for SR311920

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRDM15 Human siRNA Oligo Duplex (Locus ID 63977)

Product data:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

RefSeq: NM 001040424, NM 001282934, NM 022115, NM 144771, NR 104257, NR 104258,

NR 104260, NR 135464

UniProt ID: P57071

Synonyms: C21orf83; PFM15; ZNF298

Components: PRDM15 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 63977)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: Sequence-specific DNA-binding transcriptional regulator. Plays a role as a molecular node in

a transcriptional network regulating embryonic development and cell fate decision.

Stimulates the expression of upstream key transcriptional activators and repressors of the Wnt/beta-catenin and MAPK/ERK pathways, respectively, that are essential for naive pluripotency and self-renewal maintenance of embryonic stem cells (ESCs). Specifically promotes SPRY1 and RSPO1 transcription activation through recognition and direct binding of a specific DNA sequence in their promoter regions. Involved in early embryo development (By similarity). Plays also a role in induced pluripotent stem cells (iPSCs) reprogramming

(PubMed:28740264).[UniProtKB/Swiss-Prot Function]





PRDM15 Human siRNA Oligo Duplex (Locus ID 63977) - SR311920

Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).