

## **Product datasheet for SR312028**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## IKZF5 Human siRNA Oligo Duplex (Locus ID 64376)

**Product data:** 

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

**RefSeq:** NM\_001271840, NM\_022466, NR\_073475, NR\_073476, NR\_073477, NR\_073478, NR\_073479

UniProt ID: Q9H5V7

**Synonyms:** PEGASUS; THC7; ZNFN1A5

Components: IKZF5 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 64376)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: Members of the Ikaros (ZNFN1A1; MIM 603023) family of transcription factors, which includes

Pegasus, are expressed in lymphocytes and are implicated in the control of lymphoid

development. [supplied by OMIM, Jul 2002]





Performance Guaranteed: OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

> For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).