

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SR312051

C14orf151 (INF2) Human siRNA Oligo Duplex (Locus ID 64423)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 001031714, NM 022489, NM 032714</u>
UniProt ID:	<u>Q27J81</u>
Synonyms:	C14orf151; C14orf173; CMTDIE; FSGS5; pp9484
Components:	INF2 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 64423) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene represents a member of the formin family of proteins. It is considered a diaphanous formin due to the presence of a diaphanous inhibitory domain located at the N-terminus of the encoded protein. Studies of a similar mouse protein indicate that the protein encoded by this locus may function in polymerization and depolymerization of actin filaments. Mutations at this locus have been associated with focal segmental glomerulosclerosis 5.[provided by RefSeq, Aug 2010]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	C14orf151 (INF2) Human siRNA Oligo Duplex (Locus ID 64423) – SR312051
Performance	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will
Guaranteed:	provide at least 70% or more knockdown of the target mRNA when used at 10 nM
	concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control
	duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT
	positive control (cat# SR30003) provides 90% knockdown efficiency.
	For non-conforming siRNA, requests for replacement product must be made within ninety
	(90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with

newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US