

## Product datasheet for **SR312471**

### Tumor necrosis factor alpha induced protein 8 like protein 2 (TNFAIP8L2) Human siRNA Oligo Duplex (Locus ID 79626)

#### Product data:

|                     |   |
|---------------------|---|
| Product Type:       | siRNA Oligo Duplexes  |
| Purity:             | HPLC purified   |
| Quality Control:    | Tested by ESI-MS  |
| Sequences:          | Available with shipment   |
| Stability:          | One year from date of shipment when stored at -20°C.  |
| # of transfections: | Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).  |
| Note:               | Single siRNA duplex (10nmol) can be ordered.  |
| RefSeq:             | <a href="#">NM_024575</a>   |
| UniProt ID:         | <a href="#">Q6P589</a>  |
| Synonyms:           | TIPE2   |
| Components:         | TNFAIP8L2 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 79626)<br>Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol<br>Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml   |
| Summary:            | Acts as a negative regulator of innate and adaptive immunity by maintaining immune homeostasis. Negative regulator of Toll-like receptor and T-cell receptor function. Prevents hyperresponsiveness of the immune system and maintains immune homeostasis. Inhibits JUN/AP1 and NF-kappa-B activation. Promotes Fas-induced apoptosis (By similarity).<br>[UniProtKB/Swiss-Prot Function] |



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).