

Product datasheet for **SR312707**

Sperm Flagellar 2 (SPEF2) Human siRNA Oligo Duplex (Locus ID 79925)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_024867 , NM_144722
UniProt ID:	Q9C093
Synonyms:	CT122; KPL2; SPGF43
Components:	SPEF2 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 79925) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	Required for correct axoneme development in spermatozoa. Important for normal development of the manchette and sperm head morphology. Essential for male fertility. Plays a role in localization of the intraflagellar transport protein IFT20 to the manchette, suggesting function as an adapter for dynein-mediated protein transport during spermatogenesis. Also plays a role in bone growth where it seems to be required for normal osteoblast differentiation.[UniProtKB/Swiss-Prot Function]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).