

Product datasheet for **SR314228**

IMP4 Human siRNA Oligo Duplex (Locus ID 92856)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM_033416</u> , <u>NM_001320304</u> , <u>NM_001320305</u> , <u>NM_001320306</u> , <u>NM_001320307</u> , <u>NM_001320309</u> , <u>NM_001320310</u> , <u>NM_001320311</u>
UniProt ID:	<u>Q96G21</u>
Synonyms:	BXDC4
Components:	IMP4 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 92856) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	The protein encoded by this gene, along with IMP3 and MPP10, is part of the 60-80S U3 small nucleolar ribonucleoprotein (U3 snoRNP) complex. This complex is necessary for the early cleavage steps of pre-18S ribosomal RNA processing. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Feb 2016]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).