

Product datasheet for **SR315282**

RALYL Human siRNA Oligo Duplex (Locus ID 138046)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM_001100391</u> , <u>NM_001100392</u> , <u>NM_001100393</u> , <u>NM_001287243</u> , <u>NM_001287244</u> , <u>NM_173848</u> , <u>NM_001354305</u> , <u>NM_001354306</u> , <u>NM_001354307</u> , <u>NM_001354308</u> , <u>NM_001354309</u> , <u>NM_001354310</u> , <u>NM_001354311</u> , <u>NM_001354312</u> , <u>NM_001354313</u> , <u>NM_001354314</u> , <u>NM_001354315</u> , <u>NM_001354316</u> , <u>NM_001354317</u> , <u>NM_001354318</u> , <u>NM_001354319</u> , <u>NM_001354320</u> , <u>NM_001354321</u> , <u>NM_001354322</u> , <u>NM_001354323</u> , <u>NM_001354325</u>
UniProt ID:	<u>Q86SE5</u>
Synonyms:	HNRPCL3
Components:	RALYL (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 138046) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).