

## **Product datasheet for SR315410**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### SUHW2 (ZNF280B) Human siRNA Oligo Duplex (Locus ID 140883)

#### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

**Quality Control:** Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

**RefSeq:** <u>NM 080764</u>, <u>NR 130642</u>, <u>NR 130643</u>

UniProt ID: Q86YH2

**Synonyms:** 5'OY11.1; D87009.C22.3; SUHW2; ZNF279; ZNF632

Components: ZNF280B (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 140883)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol


Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** The protein encoded by this gene is a transcription factor that upregulates expression of

MDM2, which negatively regulates p53 expression. This gene is highly expressed in prostate cancer cells, which leads to a reduction in p53 levels and an increase in growth of the cancer cells. Several transcript variants have been found for this gene, but only one of them is

protein-coding. [provided by RefSeq, Jan 2015]







# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).