

# **Product datasheet for SR315462**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SPTY2D1 Human siRNA Oligo Duplex (Locus ID 144108)

#### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

**RefSeq:** <u>NM 194285</u>

UniProt ID: Q68D10

Synonyms: Spt2

Components: SPTY2D1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 144108)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** Histone chaperone that stabilizes pre-existing histone tetramers and regulates replication-

independent histone exchange on chromatin (PubMed:26109053). Required for normal chromatin refolding in the coding region of transcribed genes, and for the suppression of

spurious transcription (PubMed:26109053). Binds DNA and histones and promotes

nucleosome assembly (in vitro) (PubMed:23378026, PubMed:26109053). Facilitates formation

of tetrameric histone complexes containing histone H3 and H4 (PubMed:26109053). Modulates RNA polymerase 1-mediated transcription (By similarity). Binds DNA, with a preference for branched DNA species, such as Y-form DNA and Holliday junction DNA

(PubMed:23378026).[UniProtKB/Swiss-Prot Function]





### SPTY2D1 Human siRNA Oligo Duplex (Locus ID 144108) - SR315462

# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).