

Product datasheet for SR315471

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BCDIN3D Human siRNA Oligo Duplex (Locus ID 144233)

Product data:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 181708

 UniProt ID:
 Q7Z5W3

Components: BCDIN3D (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 144233)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: This gene encodes an RNA methyltransferase which belongs to the rossmann fold

methyltransferase family, and serves as a 5'-methylphosphate capping enzyme that is

specific for cytoplasmic histidyl tRNA. The encoded protein contains an Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding domain and uses the methyl group donor, Sadenosylmethionine binding donor dono

adenosylmethionine. This gene is overexpressed in breast cancer cells, and is related to the tumorigenic phenotype and poor prognosis of breast cancer. The encoded protein is thought to promote the cellular invasion of breast cancer cells, by downregulating the expression of tumor suppressor miRNAs through the dimethylation of the 5-monophosphate of the

corresponding precursor miRNAs. [provided by RefSeq, Apr 2017]







Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).