

Product datasheet for SR315905

CDCA2 Human siRNA Oligo Duplex (Locus ID 157313)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 001317906, NM 001317907, NM 152562</u>
UniProt ID:	<u>Q69YH5</u>
Synonyms:	PPP1R81; Repo-Man
Components:	CDCA2 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 157313) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a targeting subunit of the cell-cycle associated protein, protein phosphatase 1, with a role in targeting this protein to chromatin during anaphase. These two proteins comprise a phosphatase complex that is involved in nuclear envelope reformation and regulation of the DNA damage response. The encoded protein may also play a role in cancer progression. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2015]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CDCA2 Human siRNA Oligo Duplex (Locus ID 157313) - SR315905Performance
Guaranteed:OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will
provide at least 70% or more knockdown of the target mRNA when used at 10 nM
concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control
duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT
positive control (cat# SR30003) provides 90% knockdown efficiency.For non-conforming siRNA, requests for replacement product must be made within ninety
(90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with
newly designed duplexes, please contact Technical Services at techsupport@origene.com.
Please provide your data indicating the transfection efficiency and measurement of gene
expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data
required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US