

## Product datasheet for **SR316108**

### CCDC138 Human siRNA Oligo Duplex (Locus ID 165055)

#### Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<a href="#">NM_001303105</a> , <a href="#">NM_001303106</a> , <a href="#">NM_144978</a> , <a href="#">NR_130121</a> , <a href="#">NM_001351544</a> , <a href="#">NM_001351545</a> , <a href="#">NM_001351548</a> , <a href="#">NM_001351549</a> , <a href="#">NM_001351551</a> , <a href="#">NM_001351553</a> , <a href="#">NM_001351554</a> , <a href="#">NM_001351555</a> , <a href="#">NM_001351557</a> , <a href="#">NM_001351559</a> , <a href="#">NM_001351561</a> , <a href="#">NM_001351565</a> , <a href="#">NR_147236</a> , <a href="#">NR_147237</a> , <a href="#">NR_147238</a>
UniProt ID:	<a href="#">Q96M89</a>
Components:	CCDC138 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 165055) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).



[View online »](#)