

Product datasheet for **SR316553**

LRTOMT Human siRNA Oligo Duplex (Locus ID 220074)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_001145307 , NM_001145308 , NM_001145309 , NM_001145310 , NM_001205138 , NM_001271471 , NM_145309 , NR_026886 , NR_134858 , NR_073187 , NR_073188
UniProt ID:	Q96E66
Components:	LRTOMT (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 220074) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This locus represents naturally occurring readthrough transcription between the neighboring LRR51 (leucine-rich repeat containing 51) and TOMT (transmembrane O-methyltransferase) genes on chromosome 11. The readthrough transcript encodes a fusion protein that shares sequence identity with each individual gene product. Multiple reports implicate mutations in this gene in nonsyndromic deafness.[provided by RefSeq, Feb 2021]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).