

Product datasheet for **SR318009**

SLC6A17 Human siRNA Oligo Duplex (Locus ID 388662)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_001010898
UniProt ID:	Q9H1V8
Synonyms:	MRT48; NTT4
Components:	SLC6A17 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 388662) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	The protein encoded by this gene is a member of the SLC6 family of transporters, which are responsible for the presynaptic uptake of most neurotransmitters. The encoded vesicular transporter is selective for proline, glycine, leucine and alanine. In mouse, the strongest expression of this gene was in cortical and hippocampal tissues where expression increased during embryonic brain development and peaked postnatally. Defects in this gene cause a form of autosomal recessive intellectual disability. [provided by RefSeq, Jul 2017]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).